



Safety Data Sheet

Page 1 of 20

LOCTITE 660 known as Loctite 660 50ML EN/CH/JP

SDS No. : 164196

V003.4

Revision: 29.12.2020

printing date: 02.07.2022

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 660 known as Loctite 660 50ML EN/CH/JP

Other means of identification: LOCTITE 660 TB50ML EN/CH/JP/KR

Product code: IDH231699

Recommended use of the chemical and restrictions on use

Intended use: Anaerobic Adhesive

Identification of manufacturer, importer or distributor

Importer: Henkel Singapore Pte Ltd 401 Commonwealth Drive, #03-01/02, Haw Par Technocentre, Singapore. 149598
Phone : +65 62660100 Fax : +65 62661161

E-mail address of person responsible for Safety Data Sheet: ap-ua-psra.sea@henkel.com

Emergency information: FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970

Section 2. Hazards identification

GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Target organ</u>
Serious eye damage/eye irritation	Category 2	
Skin sensitizer	Category 1	
Specific target organ toxicity - single exposure	Category 3	respiratory tract irritation
Chronic hazards to the aquatic environment	Category 4	

GHS label elements:

Hazard pictogram:



Signal word:

Warning

Hazard statement: H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H413 May cause long lasting harmful effects to aquatic life.

Precaution:

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response: P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section 3. Composition / information on ingredients**Substance or Mixture:**
Mixture**Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	30- 60 %	Serious eye damage/eye irritation 2B H320 Skin Sensitization 1 H317
Silica, amorphous, fumed, crystal-free 112945-52-5	1- 10 %	
α , α -dimethylbenzyl hydroperoxide 80-15-9	1- 10 %	Organic peroxides E H242 Acute toxicity 4; Oral H302 Acute toxicity 3; Inhalation H331 Acute toxicity 4; Dermal H312 Skin corrosion 1B H314 Target Organ Systemic Toxicant - Repeated exposure 2 H373 Chronic hazards to the aquatic environment 2 H411
maleic acid 110-16-7	0.1- 1 %	Acute toxicity 4; Oral H302 Acute toxicity 4; Dermal H312 Skin irritation 2 H315 Serious eye damage/eye irritation 2 H319 Skin Sensitization 1 H317 Target Organ Systemic Toxicant - Single exposure 3 H335
methacrylic acid 79-41-4	0.1- 1 %	Acute toxicity 4; Oral H302 Acute toxicity 4; Inhalation H332 Acute toxicity 3; Dermal H311 Skin corrosion 1A H314 Serious eye damage/eye irritation 1 H318 Target Organ Systemic Toxicant - Single exposure 3 H335
N,N-Diethyl-p-toluidine 613-48-9	0.1- 1 %	Acute toxicity 3; Oral H301 Acute toxicity 3; Inhalation H331 Acute toxicity 3; Dermal H311 Target Organ Systemic Toxicant - Repeated exposure 2 H373
Acetic acid, 2-phenylhydrazide 114-83-0	0.1- 1 %	Acute toxicity 3; Oral H301 Skin irritation 2 H315 Serious eye damage/eye irritation 2 H319 Skin Sensitization 1 H317 Carcinogenicity 2 H351
N,N-dimethyl-o-toluidine 609-72-3	0.1- 1 %	Acute toxicity 3; Oral H301 Acute toxicity 3; Inhalation H331

		Acute toxicity 3; Dermal H311 Target Organ Systemic Toxicant - Repeated exposure 2 H373
Mica 12001-26-2	0.1- 1 %	
cumene 98-82-8	0.1- 1 %	Flammable liquids 3 H226 Target Organ Systemic Toxicant - Single exposure 3 H335 Aspiration hazard 1 H304 Chronic hazards to the aquatic environment 2 H411
Titanium dioxide 13463-67-7	0.1- 1 %	

Section 4. First aid measures

Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.
Skin contact:	Rinse with running water and soap. Obtain medical attention if irritation persists.
Eye contact:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Ingestion:	Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.
Indication of immediate medical attention and special treatment needed:	See section: Description of first aid measures

Section 5. Fire fighting measures

Suitable extinguishing media:	Carbon dioxide, foam, powder
Specific hazards arising from the chemical:	In the event of a fire, carbon monoxide (CO), carbon dioxide (CO ₂) and nitrogen oxides (NO _x) can be released.
Special protection equipment and precautions for firefighters:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Additional fire fighting advice:	In case of fire, keep containers cool with water spray.

Section 6. Accidental release measures

Personal precautions:	Avoid skin and eye contact.
Environmental precautions:	Do not let product enter drains.
Clean-up methods:	For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Section 7. Handling and storage
--

Handling:

Use only in well-ventilated areas.
Avoid skin and eye contact.
Prolonged or repeated skin contact should be avoided

Storage:

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection**Components with specific control parameters for workplace:**

Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	Time Weighted Average (TWA):
	mg/m³	10
	Remarks	ACGIH
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	Time Weighted Average (TWA):
	mg/m³	3
	Remarks	ACGIH
METHACRYLIC ACID 79-41-4	Value type	Time Weighted Average (TWA):
	ppm	20
	Remarks	ACGIH
METHACRYLIC ACID 79-41-4	Value type	Time Weighted Average (TWA):
	ppm	20
	mg/m³	70
	Remarks	SG PEL
MICA, RESPIRABLE FRACTION 12001-26-2	Value type	Time Weighted Average (TWA):
	mg/m³	3
	Remarks	ACGIH
MICA, RESPIRABLE DUST 12001-26-2	Value type	Time Weighted Average (TWA):
	mg/m³	3
	Remarks	SG PEL
CUMENE 98-82-8	Value type	Time Weighted Average (TWA):
	ppm	50
	Remarks	ACGIH
CUMENE 98-82-8	Value type	Time Weighted Average (TWA):
	ppm	50
	mg/m³	246
	Remarks	SG PEL
TITANIUM DIOXIDE 13463-67-7	Value type	Time Weighted Average (TWA):
	mg/m³	10
	Remarks	ACGIH
TITANIUM DIOXIDE 13463-67-7	Value type	Time Weighted Average (TWA):
	mg/m³	10
	Remarks	SG PEL

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Wear protective glasses.

	Protective eye equipment should conform to EN166.
Body protection:	Wear suitable protective clothing. Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.
Engineering controls:	Ensure good ventilation/extraction.
Hygienic measures:	Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working. Good industrial hygiene practices should be observed.

Section 9. Physical and chemical properties

Appearance:	grey paste
Odor:	characteristic
Odor threshold (CA):	No data available.
pH:	No data available.
Melting point / freezing point:	No data available.
Specific gravity:	1.1
Boiling point:	> 149 °C (> 300.2 °F)
Flash point: (Tagliabue closed cup)	> 93 °C (> 199.4 °F)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Lower explosive limit:	No data available.
Upper explosive limit:	No data available.
Vapor pressure: (; 26 °C (78.8 °F)no method; 50 °C (122 °F))	< 7 mbar < 300 mbar
Vapor density:	No data available.
Density:	1.098 g/cm ³
Solubility:	No data available.
Partition coefficient: n-octanol/water:	No data available.
Auto ignition:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
VOC content: (2010/75/EC)	< 3.00 %

Section 10. Stability and reactivity

Reactivity/Incompatible materials:	Reacts with strong oxidants.
Chemical stability:	Stable under recommended storage conditions.
Conditions to avoid:	No decomposition if used according to specifications.
Hazardous decomposition products:	carbon oxides. May produce fumes when heated to decomposition. Fumes may contain carbon monoxide and other toxic fumes.

Section 11. Toxicological information

Oral toxicity:	Acute toxicity estimate (ATE) : > 2,000 mg/kg Method: Calculation method
Inhalative toxicity:	Acute toxicity estimate (ATE) : > 20 mg/l Exposure time: 4 h Test atmosphere: Vapor. Method: Calculation method

Dermal toxicity: Acute toxicity estimate (ATE) : > 2,000 mg/kg
Method: Calculation method

Symptoms of Overexposure: SKIN: Rash, Urticaria.
EYE: Irritation, conjunctivitis.
RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

Acute oral toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	LD50
	Value	382 mg/kg
	Species	rat
	Method	other guideline:
maleic acid 110-16-7	Value type	LD50
	Value	708 mg/kg
	Species	rat
	Method	not specified
methacrylic acid 79-41-4	Value type	LD50
	Value	1,320 mg/kg
	Species	rat
	Method	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)
Acetic acid, 2-phenylhydrazide 114-83-0	Value type	LD50
	Value	270 mg/kg
	Species	rat
	Method	not specified
Mica 12001-26-2	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	not specified
cumene 98-82-8	Value type	LD50
	Value	2,700 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Titanium dioxide 13463-67-7	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)

Acute inhalative toxicity:

Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	LC50
	Value	> 58.8 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)
methacrylic acid 79-41-4	Value type	LC50
	Value	> 3.6 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)
methacrylic acid 79-41-4	Value type	Acute toxicity estimate (ATE)
	Value	3.61 mg/l
	Exposure time	
	Species	
	Method	Expert judgement
cumene 98-82-8	Value type	LC50
	Value	39 mg/l
	Exposure time	4 h
	Species	rat
	Method	not specified
Titanium dioxide 13463-67-7	Value type	LC50
	Value	> 6.82 mg/l
	Exposure time	4 h
	Species	rat
	Method	not specified

Acute dermal toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rabbit
	Method	not specified
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	LD50
	Value	530 - 1,060 mg/kg
	Species	rat
	Method	other guideline:
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	Acute toxicity estimate (ATE)
	Value	1,100 mg/kg
	Species	
	Method	Expert judgement
maleic acid 110-16-7	Value type	LD50
	Value	1,560 mg/kg
	Species	rabbit
	Method	not specified
methacrylic acid 79-41-4	Value type	LD50
	Value	500 - 1,000 mg/kg
	Species	rabbit
	Method	Dermal Toxicity Screening
methacrylic acid 79-41-4	Value type	Acute toxicity estimate (ATE)
	Value	500 mg/kg
	Species	
	Method	Expert judgement
cumene 98-82-8	Value type	LD50
	Value	> 10,000 mg/kg
	Species	rabbit
	Method	not specified
Titanium dioxide 13463-67-7	Value type	LD50
	Value	\geq 10,000 mg/kg
	Species	hamster
	Method	not specified

Skin corrosion/irritation:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	not irritating
	Exposure time	24 h
	Species	rabbit
	Method	Draize Test
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Result	corrosive
	Exposure time	
	Species	rabbit
	Method	Draize Test
maleic acid 110-16-7	Result	irritating
	Exposure time	24 h
	Species	human
	Method	Patch Test
methacrylic acid 79-41-4	Result	corrosive
	Exposure time	3 min
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
cumene 98-82-8	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Titanium dioxide 13463-67-7	Result	not irritating
	Exposure time	4 h
	Species	rabbit
	Method	equivalent or similar to OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	irritating
	Exposure time	
	Species	rabbit
	Method	Draize Test
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
maleic acid 110-16-7	Result	highly irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
methacrylic acid 79-41-4	Result	corrosive
	Exposure time	
	Species	rabbit
	Method	Draize Test
cumene 98-82-8	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Titanium dioxide 13463-67-7	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	sensitising
	Test type	Guinea pig maximisation test
	Species	guinea pig
	Method	not specified
maleic acid 110-16-7	Result	sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
maleic acid 110-16-7	Result	sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)
methacrylic acid 79-41-4	Result	not sensitising
	Test type	Buehler test
	Species	guinea pig
	Method	equivalent or similar to OECD Guideline 406 (Skin Sensitisation)
cumene 98-82-8	Result	not sensitising
	Test type	Guinea pig maximisation test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)
Titanium dioxide 13463-67-7	Result	not sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	equivalent or similar to OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Germ cell mutagenicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	rat
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	negative
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Result	positive
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Result	negative
	Type of study / Route of administration	dermal
	Metabolic activation / Exposure time	
	Species	mouse
maleic acid 110-16-7	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	no data
	Method	Ames Test
maleic acid 110-16-7	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)
methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	inhalation
	Metabolic activation / Exposure time	
	Species	mouse
methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	mouse
cumene 98-82-8	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
cumene	Result	negative

98-82-8	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
cumene 98-82-8	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
cumene 98-82-8	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	Result	negative
	Type of study / Route of administration	DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro
cumene 98-82-8	Metabolic activation / Exposure time	without
	Method	OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)
	Result	negative
cumene 98-82-8	Type of study / Route of administration	inhalation: gas
	Metabolic activation / Exposure time	
	Species	mouse
Titanium dioxide 13463-67-7	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
Titanium dioxide 13463-67-7	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	Result	negative
Titanium dioxide 13463-67-7	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Titanium dioxide 13463-67-7	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
Titanium dioxide 13463-67-7	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	Result	negative
	Type of study / Route of administration	oral: gavage
Titanium dioxide 13463-67-7	Metabolic activation / Exposure time	
	Species	mouse
	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	NOAEL=300 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	NOAEL=< 0.046 mg/l
	Route of application	inhalation
	Exposure time / Frequency of treatment	14 days 6 hours/day, 5 days/week
	Species	rat
	Method	not specified
Silica, amorphous, fumed, crystal-free 112945-52-5	Result	NOAEL=> 4,500 mg/kg
	Route of application	oral: feed
	Exposure time / Frequency of treatment	13 weeks daily, continuous
	Species	rat
	Method	
α , α -dimethylbenzyl hydroperoxide 80-15-9	Result	
	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d 5 d/w
	Species	rat
	Method	not specified
maleic acid 110-16-7	Result	NOAEL=>= 40 mg/kg
	Route of application	oral: feed
	Exposure time / Frequency of treatment	90 ddaily
	Species	rat
	Method	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
methacrylic acid 79-41-4	Result	
	Route of application	inhalation
	Exposure time / Frequency of treatment	90 d 6 h/d, 5 d/w
	Species	rat
	Method	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
cumene 98-82-8	Result	NOAEL=> 535.8 mg/kg
	Route of application	oral: feed
	Exposure time / Frequency of treatment	28 ddaily
	Species	rat
	Method	not specified
cumene 98-82-8	Result	NOAEL=125 ppm
	Route of application	inhalation: vapour
	Exposure time / Frequency of treatment	14 w 6 h/d, 5 d/w
	Species	rat
	Method	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
Titanium dioxide 13463-67-7	Result	NOAEL=1,000 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	90 ddaily
	Species	rat
	Method	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Section 12. Ecological information**Ecotoxicity:**

Do not empty into drains, soil or bodies of water., May cause long lasting harmful effects to aquatic life.

Toxicity:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LC50
	Value	493 mg/l
	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Leuciscus idus melanotus
	Method	DIN 38412-15
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC50
	Value	> 143 mg/l
	Acute Toxicity Study	Daphnia

	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC50
	Value	> 97.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	> 97.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC10
	Value	1,140 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
	Method	not specified
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	LC50
	Value	> 10,000 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Brachydanio rerio (new name: Danio rerio)
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	EL50
	Value	> 1,000 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	24 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	NOELR
	Value	10,000 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Desmodesmus subspicatus
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EL50
	Value	> 10,000 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Desmodesmus subspicatus
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	Value type	EC0
	Value	10,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	Pseudomonas putida
	Method	DIN 38412, part 27 (Bacterial oxygen consumption test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	LC50
	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	EC50
	Value	18 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	ErC50
	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Value type	EC10
	Value	70 mg/l
	Acute Toxicity Study	Bacteria

	Exposure time	30 min
	Species	
	Method	not specified
maleic acid 110-16-7	Value type	LC50
	Value	> 245 mg/l
	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Leuciscus idus
	Method	DIN 38412-15
maleic acid 110-16-7	Value type	EC50
	Value	42.81 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
maleic acid 110-16-7	Value type	EC50
	Value	74.35 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC10
	Value	11.8 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
maleic acid 110-16-7	Value type	EC10
	Value	44.6 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	18 h
	Species	Pseudomonas putida
	Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
methacrylic acid 79-41-4	Value type	LC50
	Value	85 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
methacrylic acid 79-41-4	Value type	EC50
	Value	> 130 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
methacrylic acid 79-41-4	Value type	NOEC
	Value	8.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC50
	Value	45 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
methacrylic acid 79-41-4	Value type	EC10
	Value	100 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	17 h
	Species	
	Method	not specified
N,N-dimethyl-o-toluidine 609-72-3	Value type	LC50
	Value	46 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Fathead minnow (Pimephales promelas)
	Method	
Mica 12001-26-2	Value type	LC50
	Value	400 mg/l

		Acute Toxicity Study	Fish
		Exposure time	48 h
		Species	Leuciscus idus
		Method	DIN 38412-15
Mica 12001-26-2		Value type	EC50
		Value	2,808 mg/l
		Acute Toxicity Study	Daphnia
		Exposure time	24 h
		Species	Daphnia magna
		Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Mica 12001-26-2		Value type	EC0
		Value	1,000 mg/l
		Acute Toxicity Study	Bacteria
		Exposure time	30 min
		Species	
		Method	not specified
cumene 98-82-8		Value type	LC50
		Value	4.8 mg/l
		Acute Toxicity Study	Fish
		Exposure time	96 h
		Species	Oncorhynchus mykiss
		Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
cumene 98-82-8		Value type	EC50
		Value	4 mg/l
		Acute Toxicity Study	Daphnia
		Exposure time	48 h
		Species	Daphnia magna
		Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
cumene 98-82-8		Value type	EC50
		Value	2.01 mg/l
		Acute Toxicity Study	Algae
		Exposure time	72 h
		Species	Desmodesmus subspicatus
		Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
		Value type	EC10
		Value	1.35 mg/l
		Acute Toxicity Study	Algae
		Exposure time	72 h
		Species	Desmodesmus subspicatus
		Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
cumene 98-82-8		Value type	EC10
		Value	211 mg/l
		Acute Toxicity Study	Bacteria
		Exposure time	24 h
		Species	
		Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Titanium dioxide 13463-67-7		Value type	LC50
		Value	Toxicity > Water solubility
		Acute Toxicity Study	Fish
		Exposure time	48 h
		Species	Leuciscus idus
		Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Titanium dioxide 13463-67-7		Value type	EC50
		Value	Toxicity > Water solubility
		Acute Toxicity Study	Daphnia
		Exposure time	48 h
		Species	Daphnia magna
		Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Titanium dioxide 13463-67-7		Value type	EC50
		Value	Toxicity > Water solubility
		Acute Toxicity Study	Algae
		Exposure time	72 h
		Species	Pseudokirchneriella subcapitata
		Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Titanium dioxide 13463-67-7		Value type	EC0
		Value	Toxicity > Water solubility
		Acute Toxicity Study	Bacteria
		Exposure time	24 h
		Species	Pseudomonas fluorescens
		Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)

Persistence and degradability:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	readily biodegradable
	Route of application	aerobic
	Degradability	94.2 %
	Method	OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Result	
	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
maleic acid 110-16-7	Result	readily biodegradable
	Route of application	aerobic
	Degradability	97.08 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
methacrylic acid 79-41-4	Result	inherently biodegradable
	Route of application	aerobic
	Degradability	100 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	Result	readily biodegradable
	Route of application	aerobic
	Degradability	86 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
cumene 98-82-8	Result	
	Route of application	aerobic
	Degradability	86 %
	Method	ISO 10708 (BODIS-Test)

Bioaccumulative potential / Mobility in soil:

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	LogPow	0.97
	Temperature	20 °C
	Method	not specified
Silica, amorphous, fumed, crystal-free 112945-52-5	LogPow	0.53
	Temperature	
	Method	QSAR (Quantitative Structure Activity Relationship)
α , α -dimethylbenzyl hydroperoxide 80-15-9	Bioconcentration factor (BCF)	9.1
	Exposure time	
	Species	calculation
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
α , α -dimethylbenzyl hydroperoxide 80-15-9	LogPow	2.16
	Temperature	
	Method	not specified
maleic acid 110-16-7	LogPow	-1.3
	Temperature	20 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
methacrylic acid 79-41-4	LogPow	0.93
	Temperature	22 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Acetic acid, 2-phenylhydrazide 114-83-0	LogPow	0.74
	Temperature	
	Method	not specified
cumene 98-82-8	Bioconcentration factor (BCF)	35.5
	Exposure time	
	Species	Carassius auratus
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
cumene 98-82-8	LogPow	3.55
	Temperature	23 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

Section 13. Disposal considerations

Product

Method of disposal: Dispose of in accordance with local and national regulations.

Packaging

Disposal of uncleaned packages: After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Section 14. Transport information

Road transport ADR:

Not dangerous goods

Railroad transport RID:

Not dangerous goods

Inland water transport ADN:

Not dangerous goods

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

Regulatory Information: Workplace Safety And Health Act (Chapter 354A) Workplace Safety And Health (Approved Codes of Practice) Notification 2013 SS586 Specification for Hazard Communication for hazardous chemicals and dangerous good Part 1,2,3

Global inventory status:

Regulatory list	Notification
TSCA	yes
DSL	yes
KECI (KR)	yes
IECSC	yes
TCSI	yes
NZIOC	yes
CH INV	yes

Section 16. Other information

Disclaimer:

This Safety Data Sheet has been generated based on SS586. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance. This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).