

Supplement

Title:	566/568 Users	Supplement Issue:	1
Print Date:	August 2007	Issue Date:	11/07
Revision/Date:		Page Count:	4

This supplement contains information necessary to ensure the accuracy of the above manual. This manual is distributed as an electronic manual on the following CD-ROM:


CD Title:	566/568
CD Rev. & Date:	Rev.1, 10/2007
CD PN:	2814694

Change #1

On page 11, remove the following from the last paragraph:

(10 minutes with probe inserted)

On Page 13, replace Figure 5 with the following:



eyl06.eps

Figure 5. Distance and Spot Size

On page 16, Table 4, delete the following:

Thermometer beeps twice when trying to store reading	Memory is full	Delete some data records
--	----------------	--------------------------

On page 16, Table 4, change the center cell in the bottom row

From:

Battery dead or not replaced in < minute of removal

To:

Battery dead or not replaced in < 1 minute of removal

On page 17, change the following

From:



Fully charged batteries.



Batteries are at 80 % of charge.



Batteries are at 60 % of charge.



Batteries are at 40 % of charge.



Batteries are at 20 % of charge.



Batteries are at 5 % of charge. Before taking further readings, the batteries must be changed.

To:



Batteries are at 5 %. Before taking further readings, the batteries must be changed.

On page 20, replace the **Repeatability** specification with the following:

± 0.5 % of reading or ± 0.5 °C (1 °F), whichever is greater.

On page 21, change:

From:

EN61326-1 EMC, Criteria B

To:

EN61326-1 EMC, Class B, Criteria A