

(B)

Page 1 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Screen Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaner

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr

Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

Ethanol	
Registration number (REACH)	01-2119457610-43-XXXX
Index	603-002-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	200-578-6
CAS	64-17-5
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 2, H225
	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	Eye Irrit. 2, H319: >=50 %

1-methoxy-2-propanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119457435-35-XXXX
Index	603-064-00-3
EINECS, ELINCS, NLP, REACH-IT List-No.	203-539-1
CAS	107-98-2
content %	2,5-<3
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 3, H226
	STOT SE 3, H336

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher



(B)

Page 3 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002 Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Protect from direct sunlight.

Store in a well ventilated place.



Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Store at room temperature.

Recommended storage temperature:

10 - 35°C

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

® Chemical Name	Ethanol		
WEL-TWA: 1000 ppm (1920 mg/m	13)	WEL-STEL:	
Monitoring procedures:	-	Draeger - Alcohol 25/a Ethanol (81 01 631)	
	-	Compur - KITA-104 SA (549 210)	
		DFG (D) (Loesungsmittelgemische), Methode Nr. 6 DFG (E)) (Solvent mixtures) - 2013,
	-	2002 - EU project BC/CEN/ENTR/000/2002-16 card 63-2 (2)	004)
		DFG Meth. Nr. 2 (D) (Loesungsmittelgemische) - 2013 - EU	project
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)	
		DFG Meth. Nr. 3 (D) (Loesungsmittelgemische) - 2013 - EU	project
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)	
BMGV:		Other information:	

propanol				
WEL-STEL: 150 ppm (560 mg/m3) (WEL), 150 ppm				
(568 mg/m3) (EU)				
INSHT MTA/MA-017/A89 (Determination of glycol ethers (1-methoxy-2-propanol, 2-				
ethoxyethanol) in air - Charcoal tube method / Gas chromatography) - 1989 - EU				
- project BC/CEN/ENTR/000/2002-16 card 12-1 (2004)				
- NIOSH 2554 (GLYCOL ETHERS) - 2003				
- OSHA 99 (Propylene Glycol Monomethyl Ethers/Acetates) - 1993				
Other information: Sk (WEL)				

Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note
	Environmental					
	compartment					
	Environment - freshwater		PNEC	0,96	mg/l	
	Environment - marine		PNEC	0,79	mg/l	
	Environment - water,		PNEC	2,75	mg/l	
	sporadic (intermittent)					
	release					
	Environment - sewage		PNEC	580	mg/l	
	treatment plant					
	Environment - sediment,		PNEC	3,6	mg/kg dry	
	freshwater			,	weight	
	Environment - soil		PNEC	0,63	mg/kg dry	
				.,	weight	
	Environment - oral (animal		PNEC	0.38	g/kg feed	
	feed)			,		
	Environment - sediment,		PNEC	2,9	mg/kg dry	
	marine			, -	weight	
Consumer	Human - dermal	Short term, local	DNEL	950	mg/m3	
		effects			lg,	
Consumer	Human - inhalation	Long term, systemic	DNEL	114	mg/m3	
20110411101	Transaction	effects			g,	
Consumer	Human - oral	Long term, systemic	DNEL	87	mg/kg	
20110411101	Tramair ora:	effects		0.	9,9	
Consumer	Human - dermal	Long term, systemic	DNEL	206	mg/kg bw/d	
00110011101	Tranian domai	effects	5.122		mg/ng bw/a	
Consumer	Human - inhalation	Short term, local	DNEL	950	mg/m3	
Consumer	I willait - illiaiation	effects	DINCE	330	ing/ins	



(B)

Page 5 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	343	mg/kg bw/d
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	950	mg/m3
Workers / employees	Human - inhalation	Short term, local effects	DNEL	1900	mg/m3

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	10	mg/l	
	Environment - marine		PNEC	1	mg/l	
	Environment - periodic release		PNEC	100	mg/l	
	Environment - sewage treatment plant		PNEC	100	mg/l	
	Environment - sediment, freshwater		PNEC	41,6	mg/kg dw	
	Environment - sediment, marine		PNEC	4,17	mg/kg dw	
	Environment - soil		PNEC	2,47	mg/kg dw	
Consumer	Human - oral	Long term, systemic effects	DNEL	33	mg/kg bw/day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	78	mg/kg bw/day	
Consumer	Human - inhalation	Short term, local effects	DNEL	553,5	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	43,9	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	183	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	369	mg/m3	
Workers / employees	Human - oral	Long term, systemic effects	DNEL	3,3	mg/kg	
Workers / employees	Human - oral	Long term, systemic effects	DNEL	183	mg/kg bw/day	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	553,5	mg/m3	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	553,5	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

^{(8) =} Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

^{(8) =} Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

^{** =} The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

^{(13) =} The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).



Page 6 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves made of butyl (EN ISO 374).

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour:

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

Liquid

Colourless

Fresh

Fresh

-5 °C

89 °C

Flammability: 89 °C Flammability: Flammable

Lower explosion limit: There is no information available on this parameter.



Page 7 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Upper explosion limit:

Flash point:

Auto-ignition temperature: Decomposition temperature:

ր⊔.

Kinematic viscosity:

Solubility:

Partition coefficient n-octanol/water (log value):

Vapour pressure:

Density and/or relative density:

Relative vapour density:

Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids:

There is no information available on this parameter.

>60 °C

There is no information available on this parameter. There is no information available on this parameter.

F (20°C)

There is no information available on this parameter.

Soluble

Does not apply to mixtures.

There is no information available on this parameter.

989 kg/m3 (20°C, DIN 51757)

There is no information available on this parameter.

Does not apply to liquids.

Product is not explosive.

No

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Screen Cleaner						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Ethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	10470	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	



Page 8 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001 Valid from: 01.11.2021

PDF print date: 01.11.2021

Screen Cleaner

Acute toxicity, by inhalation:	LC50	51-124,7	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Not irritant
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Irrit. 2
ochous eye damage/imtation.				Rabbit	Irritation/Corrosion)	Lyc IIII. Z
Respiratory or skin				Mouse	OECD 429 (Skin	No (skin contact)
sensitisation:				Wiodoc	Sensitisation - Local	140 (okiii oontaot)
Scristisation.					Lymph Node Assay)	
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
Com con matagornoity.				typhimurium	Reverse Mutation Test)	rioganio
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative
January Community					Mammalian Cell Gene	. 10 9 4 11 7
					Mutation Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
,-					Mammalian	
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 475 (Mammalian	Negative
,					Bone Marrow	3
					Chromosome	
					Aberration Test)	
Carcinogenicity:	NOAEL	>3000	mg/kg	Rat	OECD 451	24 mon
3					(Carcinogenicity Studies)	
Reproductive toxicity:	NOAEL	5200	mg/kg	Rat	OECD 416 (Two-	
			bw/d		generation `	
					Reproduction Toxicity	
					Study)	
Specific target organ toxicity -	NOAL	>20	mg/l	Rat	OECD 403 (Acute	Male
repeated exposure (STOT-RE):					Inhalation Toxicity)	
Specific target organ toxicity -	NOAEL	1730	mg/kg/d	Rat	OECD 408 (Repeated	Female
repeated exposure (STOT-RE):					Dose 90-Day Oral	
					Toxicity Study in	
					Rodents)	
Symptoms:						respiratory
						distress,
						drowsiness,
						unconsciousnes
						, drop in blood
						pressure,
						vomiting,
						coughing,
						headaches,
						intoxication,
						drowsiness,
						mucous
						membrane
						irritation,
						dizziness,
						nausea

1-methoxy-2-propanol							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	Regulation (EC)		
					440/2008 B.1 (ACUTE		
					ORAL TOXICITY)		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	Regulation (EC)		
					440/2008 B.3 (ACUTE		
					TOXICITY (DERMAL)		
Acute toxicity, by inhalation:	LC0	7	mg/l/6h		OECD 403 (Acute	Vapours	
• •					Inhalation Toxicity)	1	



Page 9 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Skin corrosion/irritation:	Rabbit	Regulation (EC)	Not irritant
		440/2008 B.4 (DERMAL	
		IRRITATION/CORROSI	
		ON)	
Serious eye damage/irritation:	Rabbit	Regulation (EC)	Not irritant
		440/2008 B.5 (ACUTE	
		EYE	
		IRRITATION/CORROSI	
		ON)	
Respiratory or skin	Guinea pig	Regulation (EC)	Not sensitizising
sensitisation:		440/2008 B.6 (SKIN	
		SENSITISATION)	
Germ cell mutagenicity:		OECD 471 (Bacterial	Negative
		Reverse Mutation Test)	
Specific target organ toxicity -			May cause
single exposure (STOT-SE):			drowsiness or
			dizziness.,
			STOT SE 3,
			H336
Symptoms:			drowsiness,
			unconsciousness
			, headaches,
			drowsiness,
			mucous
			membrane
			irritation,
			dizziness,
			nausea and
			vomiting.

11.2. Information on other hazards

Screen Cleaner								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting properties:						Does not apply		
						to mixtures.		
Other information:						No other		
						relevant		
						information		
						available on		
						adverse effects		
						on health.		

Ethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes



Page 10 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Other information:			Excessive
			alcohol
			consumption
			during
			pregnancy
			induces the
			foetus alcohol
			syndrome
			(reduced weight
			at birth, physical
			and mental
			disorders).,
			There is no sign
			that this
			syndrome is also
			caused by
			dermal or
			inhalative
			absorption.,
			Experiences on
			persons.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
2.1. Toxicity to fish:	•						n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
I2.1. Toxicity to algae:							n.d.a.
2.2. Persistence and							The surfactant(s
legradability:							contained in this
							mixture
							complies(compl
							with the
							biodegradability
							criteria as laid
							down in
							Regulation (EC
							No.648/2004 or
							detergents. Dat
							to support this
							assertion are
							held at the
							disposal of the
							competent
							authorities of th
							Member States
							and will be mad
							available to
							them, at their
							direct request of
							at the request of
							a detergent
							manufacturer.
2.3. Bioaccumulative							n.d.a.
ootential:							
2.4. Mobility in soil:							n.d.a.
2.5. Results of PBT							n.d.a.
and vPvB assessment							
2.6. Endocrine							Does not apply
disrupting properties:							to mixtures.



Page 11 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

12.7. Other adverse			No information
effects:			available on
			other adverse
			effects on the
			environment.
Other information:			DOC-elimination
			degree(complexi
			ng organic
			substance)>=
			80%/28d: n.a.

Ethanol Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
		96h			Oncorhynchus		Notes
12.1. Toxicity to fish:	LC50	96n	13000	mg/l		OECD 203 (Fish,	
					mykiss	Acute Toxicity	
						Test)	
12.1. Toxicity to fish:	NOEC/NOEL	120h	250	mg/l	Brachydanio rerio	OECD 212 (Fish,	
						Short- term	
						Toxicity Test on	
						Embryo and Sac-	
						fry Stages)	
12.1. Toxicity to daphnia:	EC50	48h	5414	mg/l	Daphnia magna	OECD 202	
						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	10d	9,6	mg/l	Ceriodaphnia		References
					spec.		
12.1. Toxicity to algae:	EC50	72h	275	mg/l	Chlorella vulgaris	OECD 201 (Alga,	
, ,						Growth Inhibition	
						Test)	
12.2. Persistence and		28d	97	%	activated sludge	OECD 301 B	Readily
degradability:						(Ready	biodegradable
and a second second						Biodegradability -	
						Co2 Evolution	
						Test)	
12.3. Bioaccumulative	Log Pow		(-0,35) -			1 001/	Bioaccumulatio
potential:	209.00		(-0,32)				is unlikely
potornian			(0,02)				(LogPow < 1).
12.3. Bioaccumulative	BCF		0,66 -				(Logi oii v i):
potential:	20.		3,2				
12.4. Mobility in soil:	H (Henry)		0,00013				
:=: :: :::ez:; ee	(,)		8				
12.4. Mobility in soil:	Koc		1,0				Highestimated
12.5. Results of PBT			1,0				No PBT
and vPvB assessment							substance. No
and vi vB accessment							vPvB substance
Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209	Analogous
Toxiony to bacteria.	1000	311	71000	1119/1	aonvaiou sidage	(Activated Sludge,	conclusion
						Respiration	Johnston
						Inhibition Test	
						(Carbon and	
						(
						Ammonium	
Other	NOEO/NOE!		000		1	Oxidation))	
Other organisms:	NOEC/NOEL		280	mg/l	Lemna gibba	OECD 201 (Alga,	
						Growth Inhibition	
	000		+	,		Test)	
Other information:	COD		1,9	g/g			
Other information:	BOD5		1	g/g			

1-methoxy-2-propanol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	6812	mg/l	Leuciscus idus	DIN 38412 T.15	



Page 12 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

12.1. Toxicity to fish:	LC50	96h	20800	mg/l	Pimephales promelas		ASTM
12.1. Toxicity to fish:	LC50	96h	>=1000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	>500	mg/l	Daphnia magna		
12.1. Toxicity to algae:	IC50	72h	>1000	mg/l	Pseudokirchneriell a subcapitata		
12.2. Persistence and degradability:		28d	90	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		~-0,49			,	Not to be expected
12.3. Bioaccumulative potential:	BCF		<100				Low
12.4. Mobility in soil:	Koc		0,2-1				High
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other information:						,	Does not contain any organically bound halogens which can contribute to the AOX value in waste water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 30 detergents other than those mentioned in 20 01 29

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements



Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableTunnel restriction code:Not applicableClassification code:Not applicableLQ:Not applicableTransport category:Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 7,6 %
Directive 2010/75/EU (VOC): 75,16 g/l

REGULATION (EC) No 648/2004

perfumes

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).



Page 14 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

 ${\it Flam. Liq. -- Flammable \ liquid}$

Eye Irrit. — Eye irritation

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, $E\mu$ Cx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals



Page 15 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.11.2021 / 0002

Replacing version dated / version: 09.02.2021 / 0001

Valid from: 01.11.2021 PDF print date: 01.11.2021

Screen Cleaner

Global warming potential **GWP**

Adsorption coefficient of organic carbon in the soil Koc

Kow octanol-water partition coefficient

International Agency for Research on Cancer IARC IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

including, inclusive incl.

IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Logarithm of adsorption coefficient of organic carbon in the soil Log Koc

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

Limited Quantities LQ

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable not available n.av. not checked n.c. no data available n.d.a.

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

ora.

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PΕ Polyethylene

PNEC Predicted No Effect Concentration

parts per million mag PVC Polyvinylchloride

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)

9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility

These statements were made by

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.