

FEATURES

- Made using PVC in black
- It is strong and durable
- Provide protection to the cables passing through
- They are designed for holes 31.7mm wide and panels 1.5mm thick.

RS PRO Black PVC 32mm Round Cable Grommet for Maximum of 25mm Cable Dia.

RS Stock No.: 666-4619



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Rubber Grommets



Product Description

A selection of 8 different sized standard grommets (type 1) and 2 different sized easy fit grommets (type 2). Suitable refills for PVC Black Grommet Kit, Stock no. 666-4584. Supplied in bags of 100.

666-4593 - 8.5 mm

666-4596 - 10.2 mm

666-4590 - 13.3 mm

<u>666-4600</u> - 15.5mm

666-4603 - 19.5 mm

666-4607 - 23.7 mm

666-4613 - 23.9 mm

666-4616 - 29.9 mm

666-4622 - 30 mm

666-4619 - 38.1 mm

General Specifications

| Grommet Type | Round |
|--------------|---|
| Material | PVC |
| Colour | Black |
| Application | Cable management, For passing cable into trunking or panels, Secure a cable and prevent potential abrasion to the cable sheaths, Office desks to junction boxes |

Mechanical Specifications

| Maximum Panel Thickness | 1.5mm |
|-------------------------|--------|
| Panel Hole Diameter | 32mm |
| Maximum Cable Diameter | 25mm |
| Minimum Panel Thickness | 1.5mm |
| Cable Diameter Range | 0~25mm |

Approvals

Rubber Grommets




Standards Met

ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007



| Dimensions | | | | | | | |
|------------|--------|--------|--------|--------|--------|-----------|--|
| Туре | A (mm) | B (mm) | C (mm) | D (mm) | E (mm) | Stock no. | |
| 1 | 8.5 | 6.0 | 3.0 | 4.7 | 1.7 | 666-4593 | |
| 1 | 10.2 | 7.2 | 5.0 | 4.4 | 1.7 | 666-4596 | |
| 1 | 13.3 | 10.0 | 6.4 | 6.3 | 1.7 | 666-4590 | |
| 1 | 15.5 | 11.0 | 7.8 | 9.0 | 3.0 | 666-4600 | |
| 1 | 19.5 | 13.9 | 10.5 | 6.4 | 3.4 | 666-4603 | |
| 1 | 23.7 | 20.1 | 15.5 | 6.1 | 1.7 | 666-4607 | |
| 1 | 29.9 | 25.1 | 18.9 | 7.2 | 1.5 | 666-4616 | |
| 1 | 38.1 | 31.7 | 25.0 | 7.8 | 1.5 | 666-4619 | |
| | 4 | | | | - | | |



Dimension - mm