



Datasheet

ENGLISH

## RS Pro 19 mm 110 V ac Stainless Steel DPDT Latching Push Button Switch

Stock Number: 111-5821



### Features & Benefits

- IP67 Rated
- Short design, allowing installation into space – restricted application conventional switches are not suitable
- Silver plated copper contacts for a firm connection

### Typical Applications

- Medical Equipment
- Industrial control gear
- Communications equipment
- Premium hobbyist switching




Datasheet

ENGLISH


## RS Pro 19 mm 110 V ac Stainless Steel DPDT Latching Push Button Switch

Stock Number: 111-5821

### Body Type – Flat



### Light Type – Power Logo






# Datasheet

ENGLISH

## RS Pro 19 mm 110 V ac Stainless Steel DPDT Latching Push Button Switch

Stock Number: 111-5821


### Flat Button Type



## RS Pro 19 mm 110 V ac Stainless Steel DPDT Latching Push Button Switch

Stock Number: 111-5821


### Terminal Type - Solder



# RS Pro 19 mm 110 V ac Stainless Steel DPDT Latching Push Button Switch

Stock Number: 111-5821

## Assembled View



## O-Ring Installation

Proposal	In front of the panel	Behind the panel
Installation Diagram	<p>The diagram shows a cross-section of the switch assembly. The O-RING is positioned on the front face of the panel, between the panel and the switch housing. A red arrow points to the O-RING.</p>	<p>The diagram shows a cross-section of the switch assembly. The O-RING is positioned on the back face of the panel, between the panel and the switch housing. A red arrow points to the O-RING.</p>