

FEATURES

- Indicator light
- Midget groove base
- 10,000 hours life
- Luminosity of 3.8lm
- Voltage rating of 28V
- Current rating of 40mA
- Length of 15.87mm
- Diameter of 5.84mm
- Clear light

Midget Groove Indicator Light, Clear, 28 V, 40 mA, 10000h

RS Stock No.: 360-7660



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Looking for a miniature indicator lamp to illuminate a switch? A tubular S6S lamp from the RS PRO range will provide light for 10,000 hours before it needs replacing. It has a luminosity of 3.8 lm, with a voltage rating of 28 V and a current rating of 40 mA.

General Specifications

Lamp Base	Midget Groove
Lamp Size	T1 ¾
Lens Colour	Clear
Luminosity	3.8lm ±20%
Life hours	10000h
Filament Type	Vacuum Type C-2F
Housing Material	Glass
Applications	Automotive industry; Gambling machine industry; Car indicator; Garden lights; Paper lanterns; Battery-powered flashlights, warning or signal lighting

Electrical Specifications

Voltage Rating	28V
Current Rating	40mA
MSCP	0.3CP±20%
Light Output	3.8lm

Mechanical Specifications

Diameter	5.84mm
Length	15.87mm


Approvals

Compliance/Certifications

RoHS, ANSI/ESD S20.20:2014, BS EN 61340-5-1:200



DRAWING - I



Unit : mm

1. Structure	Bulb Diameter	5.84mm Max.
	Length	15.87mm Max.
	Base Type	Midget Groove
2. Design Characteristics	Voltage	28V
	Amperage	40mA ± 10%
	Filament Type	C-2F
		Vacuum type
	MSCP	0.3 CP ± 20%
Life Hours	10000 Hrs	