

# Cable Spiral Wrapping

## Features

- Black spiral wrap
- Crush resistant
- Tough durable
- Protects against damage and wear without restricting flexibility
- 5 m in length
- Internal diameter of 8 mm
- Nylon construction
- Wall thickness of 0.8 mm
- Restriction of Hazardous Substances (RoHS) compliant
- Complies with ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007 Electrostatic Control Standards

## RS PRO Spiral Wrap, I.D 13.4 mm 16 mm, Nylon

RS Stock No: 210-8588



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# Cable Spiral Wrapping

## Product Description

Looking for a convenient way to protect and organise cables? The RS PRO black spiral wrap is quick and easy to apply and remove. It's also reusable, and it allows cables to be branched out at any point. It comes complete with a tool that enables you to slide the wrap onto the harness effortlessly. The spiral wrap is suitable for cable bundles up to 16 mm in diameter.

The Nylon material is abrasion-resistant, self-extinguishing in the event of a fire and withstands harsh chemicals. It's RoHS (Restriction of Hazardous Substances) compliant and can be used in temperatures up to +85°C.

Cable spiral wrap is a type of expandable tube that protects wires, increasing their lifespan and reducing the risk of accidental tripping. It's commonly used in offices to organise computer wires, or in automotive applications to bundle hoses together.

## General Specifications

Minimum Cable Diameter	15 mm
Maximum Cable Diameter	15 mm
Colour	Black
Internal Diameter	13.4 mm
Material	Nylon
Maximum Bundle Diameter	16 mm
Wall Thickness	0.8 mm
Length	5 m

## Variants

RS PRO Spiral Wrap, I.D 8 mm 10 mm, Nylon	RS stock no: 210-8572
RS PRO Spiral Wrap, I.D 13.4 mm 16 mm, Nylon	RS stock no: 210-8588
RS PRO Spiral Wrap, I.D 20 mm 23 mm, Nylon	RS stock no: 288-4923
RS PRO Spiral Wrap, I.D 25 mm 25 mm, Nylon	RS stock no: 210-8594

# Cable Spiral Wrapping

