


NO	DESCRIPTION	DATE
△	BACKGROUND FORMAT UPDATED	05.02.02'
△	BACKGROUND FORMAT UPDATED	03.02.10'



#### 1.0 ELECTRICAL

- 1.1 FREQUENCY RANGE: DC-800 MHz
- 1.2 NOMINAL IMPEDANCE: 50 OHM

#### 2.0 MATERIALS

- 2.1 BODIES: BRASS PER JIS-C3604
- 2.2 CENTER CONTACT: BRASS PER JIS-C3604
- 2.3 INSULATION: TEFLON PER ASTM D1467 AND ASTM D1710

#### 3.0 FINISHES AND OTHERS

- 3.1 SEE BELOW TABLE FOR DETAILS.

#### 4.0 ENVIRONMENTAL

- 4.1 OPERATING TEMPERATURE RANGE: -50° C TO +125° C

NO	DESCRIPTION	MATERIAL	Q'TY	FINISH
5	INSULATION II	TEFLON	1	NONE
4	BODY	BRASS	1	NICKEL 100μ <sup>2</sup> MIN.
3	CENTER CONTACT	BRASS	1	GOLD
2	INSULATION I	TEFLON	1	NONE
1	WASHER	BRASS	1	NICKEL 100μ <sup>2</sup> MIN.

APPROVED

by \_\_\_\_\_ DATE: \_\_\_\_\_



DESCRIPTION		FME JACK-BNC JACK	
製圖	DRAWN Yoko	TOLERANCE	品名 23-20 T.G.N
檢圖	CHECK Jacky	.X ±0.2	TITLE \RDHS COMPLIANT (500)
認定	APPROVAL Lewis	.XX ±0.1	DATE 07.13.92'
		.XXX ±0.05	REV. A-2
		ANGLE ±5°	DWG.NO. 23-0052
			UNIT mm(in)
			SCALE 4:1