

FEATURES

- Industrial footswitch
- Anti-skid feet
- Hands free control
- Mechanical Life 5x104 Operations
- Operating temperature range - 10°C to 40°C
- Low profile to reduce operator fatigue
- Bellows actuator
- 2meters of 3mm I/D tubing with reinforced conduit

RS PRO Foot Switch - Die Cast Aluminium Case Material

RS Stock No.: 317-718



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description ATTRIBUTE 1

RS PRO robust diecast aluminium foot actuator foot switch in black finish. The top has a diamond cut surface affording good grip. Foot switches are commonly used on large machinery where hand operated switches are a safety concern. This foot controller pedal is ideal for various applications. Suitable for use with various air switches including: - [316-951](#), [319-708](#), [319-714](#), [319-720](#), [319-736](#), [319-742](#), [319-758](#)

General Specifications

Case Material	Die Cast Aluminium
Switch Environment	Heavy Duty
Guard Cover	No
Colour	Black
Applications	Foot switches are commonly used in applications where hands-free control is more practical or safer. They can be found on: Industrial machinery and smaller power tools, Hospital beds, Dentist Chairs, Lamps
Accessory Type	Actuator
For Use With	various air switches including:- 316-951 , 319-708 , 319-714 , 319-720 , 319-736 , 319-742 , 319-758

Mechanical Specifications

Length	94mm
Height	46mm
Dimensions	94mm x 46mm x152mm
Width	152mm
Weight	0.475kg

Operation Environment Specifications

Operating Temperature	-10 to 40°C
-----------------------	-------------

Protection Category

IP Rating	IPX7
-----------	------

Approvals

Standards Met	2014/35/EU, EN 60950, EN 61058, EN 61058-2-1
Compliance/Certifications	RoHS





RS Stock No. 317-718

