AC Axial Fan

multicomp PRO

RoHS Compliant



Characteristics

Motor Design Insulation Resistance Dielectric Strength Motor Protection Noise Level

Tolerance Air Performance

Specification

Rated Voltage	: 100V AC to 240V AC 50Hz/60Hz	
Operating Voltage Range	: 90V AC to 265V AC Hz	
Safety Certification Voltage Range	: 100V Ac to 240V AC Hz	
Starting Voltage	: 85V AC (25°C Power ON/OFF)	
Rated Speed	: 3500 RPM ±10%	
Air Delivery	: 109 CFM / Min. 96.6 CFM	
Static Pressure	: 0.37 Inch-H2O 0.31 Inch-H2O	
Rated Current	: 81 mA 56mA	
Rated Power	: 5.1 Watts	
Noise Level	: 44.9 dB(A) / Max. 47.9.2 dB(A)	
Direction of Rotation	: Counter-clockwise viewed from front of fan blade	
Operating Temperature	: -25°C to +70°C	
Storage Temperature	: -40°C to +70°C	
Bearing System	: Precision ball bearing system	
Weight	: 317g	
Safety	: UL/CUR/TUV/CE Approvals	
Protection	: Automatic Restart Capability	
Ingress Protection	: IP55	

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro


- : Single phase, 4-poles Brushless DC motor.
- : 10 $M\Omega$ minimum at 500V DC.
- : 1800V AC for one second.
- : Impedance Protected.
- : Measured in a semi-anechoic chamber with background noise level below 15 dB(A). The fan is running in free air with the microphone at a distance of one meter from the fan intake.
- : ±20% on rated power and current.
- : Measured by a double chamber. The values are recorded when the fan speed has stabilized at rated voltage.

multicomp PRO

-20/07/23 V1.0

multicomp PRO

Performance Curves



Material


Frame	: Thermoplastic PBT of UL 94V-0
Impeller	: Thermoplastic PBT of UL 94V-0
Lead Wire	: UL 3266 #24AWG, Gray

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro



Dimensions

Serous Turne (Den Head)	Torquo	Screw Spec.	
Screw Type (Pan Head)	Torque	Size	Standard
Machine Screw	3~4 kgf-cm	M4	JISB1111-1974
Self-Tapping Screw	5~8 kgf-cm	Φ5	JISB1122 Type 2



Best Mounting Direction: Any orientation.

Dimensions : Millimetres

Part Number Table

Description	Part Number	
AC Axial Fan, 120mm × 38mm, 100V-240V AC, IP55	MP-CF4113HBL-0000-ABD	

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for white any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farrell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

