

FEATURES

- Steel
- IP66
- Simple wall mounting
- All-welded basic body
- High IP index achieved by all-round knife edges against which an expanded PU seal is pressed
- 2.6 mm gauge steel wall brackets
- 1.4 mm wall thickness
- RAL 7032

RS PRO Junction Boxes

RS Stock No.: 122-030



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO IP66 Sealed Terminal Boxes

Introducing a range of RS PRO terminal boxes. These boxes are designed for housing DIN rail terminals and accessories. Constructed from 1.5 mm gauge steel and finished in RAL 7032 (grey colour). Inside the lid is a fitted black polyurethane seal gasket that ensures the IP66 rating which offers protection from water, dirt and debris.

General Specifications

Body Material	Steel
Base Material	Steel
Gasket Material	Polyurethane
Application	Power Management
Colour	Grey
Lid Colour	Grey
Mounting Type	Wall Mount
Flanged	No
Shape	Rectangular
Cover Locking	Screw
RAL Code	RAL 7032

Mechanical Specifications

Length	300mm
Width	200mm
Height	120mm
Thickness	1.4mm wall thickness
Dimensions	300 x 200 x 120mm

Protection Category

IP Rating	IP66
------------------	-------------

Approvals

Declarations	RoHS Certificate of Compliance
---------------------	---------------------------------------

Similar Products

Stock No.	Brand	Product Name	Material	Dimensions	Number of ways
144-4461	RS PRO	Junction Box	GRP	400 x 250 x 120mm	
144-4457	RS PRO	Junction Box	GRP	220 x 120 x 90mm	