



TE Internal #: 2-35653-1
Closed End Splice, 22 – 10 AWG Wire Size, .3 – 6 mm² Wire Size,
3.248 – 13.1 kcmil Wire Size, 3248 – 13100 CMA Wire Size, Copper,
Splices
[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Closed End Splice**
Wire Size: **.3 – 6 mm²**
Sealable: **No**
Compatible Insulation Diameter Range: **9.53 mm [.375 in]**

Features

Body Features

Product Weight	1.256 g
----------------	---------

Identification Marking

Splice Marking	ECN
----------------	-----

Packaging Features

Packaging Quantity	1500
Packaging Method	Tape Mounted

Contact Features

Terminal Plating Material	Tin
Contact Base Material	Copper
Barrel Type	Closed

Product Type Features

Splice Accessory Type	Splice
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded



Wire Insulation Support Retention Type	Insulation Support
--	--------------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	3.248 – 13.1 kcmil
Compatible Insulation Diameter Range	9.53 mm[.375 in]
Terminal Material Thickness	.55 mm[.022 in]
Product Length	19.69 mm[.775 in]

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 217212-1
PRO-CR ASSY, CES



TE Part # 217212-2
PRO-CR DIE, CES


Customers Also Bought



TE Part #1-320627-0
PIDG Ring Tongue Terminals



TE Part #640389-4
04P MTA156 HDR ASSY SQ R/A F/L



TE Part #34137
SPLICE,SOLIS PARA BRZD 16-14



TE Part #2-34144-1
PG R 22-16 COMM 22-18 MIL 6



TE Part #35115
SPLICE,N CE 22-14



TE Part #61944-2
250 FASTON REC 18-14 AWG TPBR



TE Part #2-1393117-9
KUP-11A55-120=KU



TE Part #7-1393118-0
KUP-5D55-12=KU



Documents

Product Drawings

SPLICE,N CE 22-10

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-35653-1_AA.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-35653-1_AA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-35653-1_AA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English