

2312766

## **FEATURES**

- Quick connection and disconnection
- Large range to comply food norms
- Silicon free
- Operating temperature range is from - 15 °C to + 190 °C

# RS PRO ORIENTING ELBOW MALE ADAPTOR (PARALLEL) - FOOD GRADE

RS Stock No.: 2312766



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# Pneumatic Quick Connect Couplings



### **Product Description**

The RS PRO orienting elbow male adaptor (parallel) works in - 0.99 bar to 20 bar pressure range. It is mainly used in dairy, coffee machine, vending, food & beverage, medical, vacuum applications. It is available in brass with Food Grade coating. In combination with FEP tubes, it is the most demanded solution for the Food & Beverage market. Beacause of the special coating it can be used also in agressive environment.

RoHS and REACH compliant.

#### **General Specifications**

Material	Nickel Plated Brass		
Annlications	Lubrication System, Cooling System, Pneumatic		
Applications	Machinery Equipment		

#### **Mechanical Specifications**

Connection Type	Threaded, Tube			
Tube Connection Size	12mm			
Coupling Gender	Male			
Threaded Connection	3/8 in Male			
Thread Size	3/8in			
Hose Barb Connection	12mm			
Mounting Hole Diameter	21.5mm			
Wrench Size1	16			
Wrench Size2	20			
Length L1	31.3mm			
Length L2	23.8mm			




# **Operation Environment Specifications**

Minimum Operating Temperature	-15°C
Maximum Operating Temperature	190°C

## **Similar Products**

Parameters	2312758	2312760		
Brand	RS PRO	RS PRO		
Thread Size	1/8in	1/8in		
Wrench Size1	9	11		
Wrench Size2	13	13		
Length L1	18mm	21mm		
Length L2	16.1mm	18.1mm		



Tube	Α	В	L1	L2	CH1	CH2	D	Pack.
12	44263	8.1	31.3	25.8	16	20	21.5	10