

FEATURES

- All Fluids compatible
- Mechanical resistance
- Silicon free

RS PRO REDUCER (TAPER)

RS Stock No.: 2312530



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO reducer (taper) mainly used in compressed air, pneumatic automation, industrial water circuit applications. High performances in pressure and temperatures (+300°C). Available with sharp threads. RoHS and REACH compliant.

General Specifications

Fitting Type	Reducer
Material	Brass
Fitting Direction	Straight
Application	Compressed Air, Pneumatic Automation, Industrial water circuits, Inert Gases, Fluids, Steam Vacuum


Mechanical Specifications

Pipe Fitting Connection Type	Threaded
Connection 1	3/8 in BSP Male
Connection Gender 1	Male
Thread Size 1	3/8 in
Thread Standard 1	BSP
Connection 2	1/2 in BSPP Female
Connection Gender 2	Female
Thread Size 2	1/2 in
Thread Standard 2	BSPP
Length	30.5mm

Wrench Size	26mm
--------------------	------

Similar Products

Parameters	2312529	2312528
Brand	RS PRO	RS PRO
Pipe Fitting Connection Type	Threaded	Threaded
Connection 1	1/4 in BSPP Male	1/4 in BSPP Male
Connection Gender 1	Male	Male
Thread Size 1	1/4 in	1/4 in
Thread Standard 1	BSPP	BSPP
Connection 2	3/8 in BSP Female	1/4 in BSPP Female
Connection Gender 2	Female	Female
Thread Size 2	3/8 in	1/4 in
Thread Standard 2	BSP	BSPP
Length	27mm	26mm
Wrench Size	22mm	17mm



A	A1	B	L	CH	Pack
3/8	1/2	11.5	30.5	26	10

