

## FEATURES

- M6 hex head set screws
- Length of 25mm
- Solid brass construction for corrosion resistance in wet conditions
- Plain finish
- Hex head and drive

# Plain Brass Hex M6 x 25mm Set Screw

RS Stock No.: 483-2384



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

Keep potentially moving parts locked in place with these set screws. Essential parts in engineering, product design and repair applications, you'll typically find them securing gears to shafts, for example.

These set screws feature M6 threading, which runs through the length of their main bodies. As part of our trusted RS PRO range, they've been strictly tested to guarantee quality and durability. Moreover, the screws conform to Electrostatic Control Standards ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007, protecting from damage due to electrostatic discharge. They're hex-headed, too, which means you can easily tighten them using a standard spanner.

## General Specifications


<b>Thread Size</b>	M6
<b>Material</b>	Brass
<b>Finish</b>	Plain
<b>Screw Type</b>	Set Screw
<b>Head Shape</b>	Hex
<b>Drive Type</b>	Hex
<b>Thread Type</b>	Metric
<b>Corrosion Resistant</b>	Yes
<b>Application</b>	Fasteners and fixings; Machine tooling and repair; Security guarding; Electronic applications; Automotive industry

## Mechanical Specifications

<b>Length</b>	25mm
---------------	------

## Approvals

<b>Compliance/Certifications</b>	ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007
----------------------------------	---



RS Part No.	Thread Size	Length
4832362	M6	16mm
4832378	M6	20mm
4832384	M6	25mm
4832390	M6	30mm
4832435	M8	30mm
4832441	M8	40mm

RS Part No.	Thread Size	Length
520217	M8	25mm
520223	M8	30mm
520239	M8	40mm
520245	M8	50mm
520273	M10	25mm
520289	M10	30mm
520295	M10	40mm
520302	M10	50mm
520346	M12	40mm
520352	M12	50mm
520368	M12	60mm
1839124	M12	30mm
1839146	M12	50mm
2632255	M5	40mm