

FEATURES

- Compact, user-friendly design meets consumer equipment needs
- 5 GB/s bandwidth supports uncompressed audio/video in a single cable
- Signal layout low impedance mismatch
- Fully shielded-ESD protection
- Meets the HDMI 1.2b standard and the higher bandwidth this standard requires
- Gold plated contacts
- HDMI (19 pin) Male to HDMI (19 pin) Male

RS PRO HDMI to HDMI Cable, Male to Male- 1.2m

RS Stock No.: 876-2393



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

This RS PRO HDMI (High definition multimedia interface) cable is a Male to Male cable that is ideal for use with HDTV, Freeview or other HDMI devices. These cables are used as the connection for PC monitors, digital TV and digital audio devices. Supporting high-quality video and audio to a 1080i resolution it is the perfect use in homes and offices.

This RS PRO range includes various cable lengths:

- [489-428](#) – 1m in black
- [489-412](#) – 2m in black
- [489-422](#) – 3m in black
- [489-466](#) – 5m in black
- [489-399](#) – 10m in black
- [489-400](#) – 15m in black
- [876-2393](#) – 1.2m in white

General Specifications

Cable Type	HDMI to HDMI
HDMI Version	HDMI 1.2a
Connector A	Male HDMI
Connector A Gender	Male
Connector A Type	HDMI
Connector B	Male HDMI
Connector B Gender	Male
Connector B Type	HDMI
Maximum Transmission Rate	5 GB/s
Outer Sheath Material	PVC
Sheath Colour	White
Hood	Moulding type
Applications	Computer Monitors, Digital Broadcasting, Blu-Ray Players, Gaming Consoles

Electrical Specifications

Cable Electrical Test	100% open short & miss wire test
------------------------------	----------------------------------

Mechanical Specifications

Length	1.2m
Wire Gauge	3AWG [1P* (30AWG copper + FPE) + D + AL] *5P + (30AWG copper + HDPE)* 4C+AL+64/0.12 ALMG + D + PVC6MM

Approvals

Compliance/Certifications	EN61340
Standards Met	RoHS

Dimensions: (mm)