

FEATURES

- Impedance of 75
 ohms
- Strong black sheath
- High Performance cable assembly
- Standard plug to plug BNC connectors on both ends

RS PRO Male BNC to Male BNC RG59 Coaxial Cable, 75Ω

RS Stock No.: 426-2044



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

From the trusted brand RS PRO, comes a range of high quality coaxial cables. Constructed out of industry-standard components, these flexible cables have been designed to carry signals over long distances and are easy to install making them a fantastic solution for connections to networking systems

These RG59 cables are most commonly used for low-power video and RF signal connections. Variety of cable lengths offered in this range. 2m (2843821), 500mm (4262044), 5M (4262117) and 1m (2843815)

General Specifications

Coaxial Type	RG59
Connector A	Male BNC
Connector B	Male BNC
Terminated/Unterminated	Terminated
Sheath Colour	Black
Applications	Connecting radio transmitters and receivers with their antennas, Computer network (Internet) connections, Feeding satellite signals through to your TV.

		~			
ectr	ical	Sn	ecifi	cati	ons
COU	loui	Op	com	oun	0113

Characteristic Impedance	75 Ω

Mechanical Specifications	
Length	500mm
Cable Shape	Coaxial


Approvals	
Compliance/Certifications	EN61340

Coaxial Cable





Dimensions: (mm)



Specification

ltem	Description	Part
1	BNC Crimp Plug	VB10-2031
2	BNC Crimp Plug	VB10-2031
3	Cable	RG59
4	Strain Relief	VSR100
5	Strain Relief	VSR100