

FEATURES

- **Stainless steel grub screws with hexagon socket**
- **Metric thread**
- **Various thread sizes available, including M3, M4, M5, M6 and M8**
- **Good corrosion resistance**
- **Countersunk – the head does not stick out so that nothing can hit it and interfere with the operation of the application**
- **Also used in many internal joinery applications**
- **Requires a Hex key / Allen key**

Stainless Steel Hex Socket Set M6 x 6mm Grub Screw

RS Stock No.: 137-815



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO hexagon socket countersunk screws are an excellent choice when you need a fastener to sit flush or below the surface of your material. These popular metric thread countersunk screws are manufactured from A2 (304) stainless steel and are designed for light duty applications where space is limited. These fasteners are used where a strong, reliable joint is required. These screws have an attractive, quality appearance and finish wherever they are used and give you exceptional resistance to corrosion.

General Specifications

| | |
|----------------------------|--|
| Thread Size | M6 |
| Material | Stainless Steel |
| Screw Type | Set Screw |
| Head Shape | Hex Socket Set |
| Drive Type | Hexagon |
| Corrosion Resistant | Yes |
| Application | Fasteners and fixings; Machine tooling and repair; Security guarding; Electronic applications; Automotive industry |

Mechanical Specifications

| | |
|-----------------------------|---------|
| Length | 6mm |
| Stainless Steel Type | A2 304 |
| Specification | DIN 912 |

Approvals

| | |
|----------------------------------|----------------|
| Compliance/Certifications | RoHS, DIN 7991 |
|----------------------------------|----------------|



RS PRO Stainless Steel Hex Grub Screws



| RS Stock No. | Size | Length | RS Stock No. | Size | Length |
|--------------|------|--------|--------------|------|--------|
| 137-714 | M3 | 3mm | 137-815 | M6 | 6mm |
| 137-720 | M3 | 6mm | 137-821 | M6 | 8mm |
| 124-7389 | M3 | 8mm | 124-7394 | M6 | 10mm |
| 137-736 | M3 | 12mm | 137-837 | M6 | 12mm |
| | | | 137-843 | M6 | 16mm |
| 137-742 | M4 | 4mm | 124-7395 | M6 | 20mm |
| 137-758 | M4 | 6mm | 124-7396 | M6 | 30mm |
| 124-7390 | M4 | 8mm | | | |
| 124-7391 | M4 | 10mm | 137-859 | M8 | 8mm |
| 137-764 | M4 | 12mm | 124-7397 | M8 | 10mm |
| | | | 137-865 | M8 | 12mm |
| 137-770 | M5 | 5mm | 137-871 | M8 | 16mm |
| 124-7392 | M5 | 6mm | 124-7398 | M8 | 20mm |
| 137-786 | M5 | 8mm | 124-7399 | M8 | 25mm |
| 137-792 | M5 | 10mm | | | |
| 137-809 | M5 | 12mm | | | |
| 124-7393 | M5 | 16mm | | | |