

## FEATURES

- 64mm x 33mm LCD display
- RJ45, RJ12 & F connector
- OPEN, SHORT, CROSS or SPLIT error status
- TDR technology
- Ergonomic grip, tough case exterior

## RS PRO LAN Test Equipment of Distance to Fault

RS Stock No.: 136-8577



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

This tester can check UTP, STP, Ethernet, CAT5E, 6, 6A and Coaxial cables, determining the continuity and wiring of the cable pattern. With a pull out remote terminator, there are 8 remote IDs available and enough memory for 8 test results. A simple press of button switches between modes, which features LAN, TEL, COAX, TONE and LENGTH. Using TDR enables quick and easy measurement and testing of the length and distance of the cable.

## General Specifications

<b>Cable Type</b>	Cat 5e, Cat 6, Cat 6a, Coaxial, LAN, STP, UTP
<b>Test Type</b>	Distance to Fault
<b>Connector</b>	RJ45, RJ12 ( RJ11 ) & F connector
<b>Display Type</b>	LCD
<b>Length for Test</b>	1m to 350m (3ft to 1200ft)
<b>Operating Way</b>	Rubber Keypad
<b>Body Material</b>	Plastic

## Electrical Specifications

<b>Power Source</b>	Battery
<b>Battery Type</b>	9V

## Mechanical Specifications

<b>Dimensions</b>	195mm x 90 mm x40 mm
<b>Length</b>	195 mm
<b>Width</b>	90 mm
<b>Height</b>	40 mm

**Operation Environment Specifications**

Maximum Operating Temperature	50°C
Minimum Operating Temperature	0°C
Storage Temperature	-10°C to 60°C
Humidity	10 % to 90 % non-condensing
Shock and Vibration	Random, 2g, 5Hz-500Hz (Class 2)

**Approvals**

Compliance/Certifications	CE, RoHS
Declarations	

**Accessory Specifications**

RS Stock #	Accessory Type	For Used With	Model Number
826-4435	Battery	LAN Cable Multifunction Tester	CT2690



