

FEATURES

- Single handed operation
- Light and compact
- Safety version
- Silicon free

RS PRO MALE PLUG - ITALIAN - 5 mm

RS Stock No.: 2312506



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO male plug - 2,5 mm works in 0 to 10 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages. It is available in nickel-plated brass. Used for compressed air and for moulding injection cooling system. RoHS and REACH compliant. Operating temperature range is from - 20 °C to + 80 °C.

General Specifications


Material	Nickel Plated Brass
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment

Mechanical Specifications

Connection Type	Threaded, Tube
Tube Connection Size	10
Coupling Gender	Male
Threaded Connection	1/2 in Male
Thread Size	1/2in
Wrench Size	24Hex
Length	40.5mm

Similar Products

Parameters	2312505	2312504
Brand	RS PRO	RS PRO
Tube Connection Size	9mm	8mm
Length	39mm	38mm
Wrench	19	17
Thread Size	1/4in	1/2in



A	B	C	CH	Pack.
1/2	10	40.5	24	10