

### **FEATURES**

- IP66 ingress protection by use of Neoprene O-Ring continuous seal
- Cover seal temperature stability -40 to +100°C
- DIN rail mounting point
- Lid and base joined using captive stainless steel lid screws
- Wall thickness 3mm

# RS PRO General Purpose Enclosures -Unpainted Die Cast Aluminium Enclosure

RS Stock No.: 8462960



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## **General Purpose Enclosures**



#### **Product Description**

## IP66 Diecast Aluminium Enclosure, Natural Finish

A watertight series of enclosures that are manufactured from diecast aluminium (ALSi12). The enclosures are IP66 rated and are specifically designed for Harsh & Demanding applications. The enclosure includes a lid and base, captive stainless steel lid screws, a Neoprene O-Ring continuous gasket and 4 copper plated earthing screws for grounding. These high standard enclosures are suitable for use in a wide range of environments including indoors and outdoors, providing excellent protection of internal electrical components in a range of applications.

#### **General Specifications**

| Body Material    | Die Cast Aluminium                             |
|------------------|--|
| Colour           | Unpainted                                      |
| Lid Colour       | Unpainted                                      |
| Handheld         | No   |
| Flanged          | No   |
| Shielded         | No   |
| Transparent Door | No   |
| Features         | Cover seal temperature stability -40 to +100°C |

#### **Mechanical Specifications**

| Gasket Material    | Neoprene          |
|--------------------|-------------------|
| External Length    | 330 mm            |
| External Height    | 110 mm            |
| External Width     | 230 mm            |
| External Dimension | 330 x 230 x 110mm |

#### **Protection Category**

| IP Rating | IP66 |
|-----------|------|



## Approvals

| Declarations | RoHS Certificate of Compliance |
|--------------|--------------------------------|
|--------------|--------------------------------|

## **Similar Products**

| Stock No. | Brand  | Product<br>Name                    | Body Material         | Colour    | Shielded |
|-----------|--------|------------------------------------|-----------------------|-----------|----------|
| 8462960   | RS PRO | Die Cast<br>Aluminium<br>Enclosure | Die Cast<br>Aluminium | Unpainted | No       |
| 8462970   | RS PRO | Die Cast<br>Aluminium<br>Enclosure | Die Cast<br>Aluminium | Unpainted | No       |

Including: Base with screws for mounting plate/DIN-rail, cover with PUR gasket and stainless steel cover screws

