

Parallel Type Speaker Cable



TEM0620-2009 GREY



TEM0621-2009 White 100M

TEM0622-2009 White 100M

Description

Stranded Plain Annealed Copper Wire, Figure 8 Construction, PVC Insulation.

Application

Used extensively for sound systems

Specifications:

Construction

Conductor Material : Stranded Plain Annealed Copper Wire
 Insulation Material : PVC

Physical Properties

Operating Temperature : -15°C to +70°C



Part Number Table

Description	Voltage Rating	Conductor Stranding (mm)	Nominal Inner Diameter (mm)	Colour	Min. Bend Radius (mm)	Nominal DC Resistance (Ω / km)	Part Number
Parallel Type Figure 8 Speaker Cable	48V AC (not for power application)	13/0.2 (0.41mm ²)	2 × 4	Grey	20	44	TEM0620-2009 Grey 100M
				Black			TEM0620-2009 Black 100M
		42/0.2mm (1.32mm ²)	3 × 6	White	30	13.6	TEM0621-2009 White 100M
							7/0.2mm (0.22mm ²)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.