




## K 5 Premium Full Control

Pressure washer with hose reel and pressure indicator on the trigger gun – for the right pressure on any surface. For regular use on moderate levels of dirt. Area performance of 40 m<sup>2</sup>/h.



### 1 Power gun Full Control and spray lances

- Three pressure settings and a detergent setting ensure the optimal setting for every surface.
- The pressure can be regulated by twisting the Vario Power spray lance until the desired level is shown.

### 2 Parking position for easy accessory storage at all times


- The power gun Full Control and the connected spray lance can be stored conveniently in the device during work breaks.
- The power gun Full Control is always ready to hand and easily accessible.

### 3 Plug 'n' Clean

- Quick, easy and convenient application of detergents with the pressure washer.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

### 4 Hose reel

- With a practical reel, the high-pressure hose can always be stored neatly.



## K 5 Premium Full Control

- Full Control Power trigger gun with pressure level display on an LED display
- Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

### Technical data

<b>Order no.</b>	1.324-600.0	
<b>EAN code</b>	4054278044781	
<b>Current type</b>	<b>V / Hz</b>	230 / 50
<b>Pressure</b>	<b>bar / MPa</b>	20 - max. 145 / 2 - max. 14.5
<b>Flow rate</b>	<b>l/h</b>	max. 500
<b>Inlet temperature</b>	<b>°C</b>	max. 40
<b>Connected load</b>	<b>kW</b>	2.1
<b>Weight without accessories</b>	<b>kg</b>	13.06
<b>Dimensions (L × W × H)</b>	<b>mm</b>	411 × 305 × 584

### Equipment

<b>High-pressure spray gun</b>	G 145 Q Full Control	<b>Water-cooled motor</b>	■
<b>Vario Power Jet</b>	■	<b>Soft bag</b>	■
<b>Dirt Blaster</b>	■		
<b>High-pressure hose</b>	<b>m</b>	8	
<b>Quick Connect on the side of the device</b>	■		
<b>Detergent application via</b>	Plug 'n' Clean system		
<b>Water suction</b>	■		
<b>Integrated water filter</b>	■		
<b>A3/4" garden hose connector adapter</b>	■		
<b>High-pressure hose reel</b>	■		
<b>Telescopic handle</b>	■		

■ Included in the scope of supply.

# K 5 PREMIUM FULL CONTROL

## 1.324-600.0

**KÄRCHER**



		Order no.						Price	Description	
<b>Trigger guns</b>										
G 145 Q gun	1	2.643-634.0							High-pressure gun with LED display for the display of different pressure stages and the cleaning agent mode. With Quick Connect. For Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5.	■
<b>Surface cleaners</b>										
T 7 Plus T-Racer surface cleaner	2	2.644-074.0							Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
T 5 T-Racer surface cleaner	3	2.644-084.0							Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	4	2.644-123.0							The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	5	2.644-212.0							The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□
<b>Brushes</b>										
WB 150 power brush	6	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□
WB 120 rotating wash brush	7	2.644-060.0							Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	□
WB 120 rotating wash brush car & bike	8	2.644-129.0							Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	□
WB 60 soft surface wash brush	9	2.643-233.0							Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	□
Wheel washing brush	10	2.643-234.0							Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	□
Garden hose adapter	11	2.640-732.0							Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	□
Wash brush	12	6.903-276.0							Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	□
<b>Spray lances</b>										
TLA 4 telescopic spray lance	13	2.644-190.0							Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	14	2.644-249.0							Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□

■ Included in the scope of supply. □ Available accessories.

# K 5 PREMIUM FULL CONTROL

## 1.324-600.0


**KÄRCHER**



		Order no.				Price	Description	
Splash guard	15	2.642-706.0					Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	<input type="checkbox"/>
Angled spray lance	16	2.638-817.0					Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	<input type="checkbox"/>
1-step lance extension	17	2.643-240.0					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	<input type="checkbox"/>
VP 180 S vario power jet short 360° for K 2-K 7	18	2.643-254.0					VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	<input type="checkbox"/>
Telescopic spray lance	19	2.642-347.0					Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	<input type="checkbox"/>
<b>High-pressure replacement hose: system from 2009 with Quick Connect system</b>								
H 10 Q, High-Pressure Hose with Quick Connect and for hose reel devices	20	2.643-633.0					Replacement hose with Quick Connect adapters for quick attachment. For all Kärcher devices in classes K 4-K 7 with hose reel (from 2009 year of manufacture or later). The high-pressure hose is 10 metres long and suitable for temperatures up to 60°C and a pressure up to 180 bar.	<input type="checkbox"/>
<b>High-pressure extension hose: System for devices with Quick Connect system</b>								
XH 10 Q Quick Connect extension hose	21	2.641-710.0					High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	22	2.641-709.0					High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
<b>Pipe cleaning</b>								
PC 20 roof gutter and pipe cleaning kit	23	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	24	2.637-767.0					Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	25	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
<b>Foam jet</b>								
FJ 6 foam jet	26	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	27	2.643-143.0					Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	28	2.643-144.0					Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	29	2.643-145.0					Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# K 5 PREMIUM FULL CONTROL 1.324-600.0



		Order no.					Price	Description	
<b>Miscellaneous</b>									
SH 5 suction hose	30	2.643-100.0						Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
Sand and wet-blasting kit	31	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	32	2.640-733.0						Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	33	4.730-059.0						Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
Anti-twist adapter	34	2.644-257.0						The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.	<input type="checkbox"/>
O-ring set	35	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# K 5 PREMIUM FULL CONTROL

## 1.324-600.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Hose storage and hose trolley</b>									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
<b>Hoses</b>									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0							<input type="checkbox"/>
<b>Hose connection systems</b>									
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0						Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0						Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.