

## **FEATURES**

- Ideal for high torque fastening in heavy duty applications
- Neat and tidy final finish
- Zinc coated or hot dip galvanised finish
- Good protection against surface rust
- Recyclable
- Available in a wide range of sizes

# **RS PRO Hex Nut**

**RS Stock No.: See Table Below** 



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



### **Product Description**

Introducing the range of RS PRO Hex Nuts, a high-quality fastener solution for connecting and tightening a bolt or screw in a wide range of applications. Each fastener is made from steel with a zinc coating, making them much more cost-effective than their stainless-steel counterparts, while still offering a high level of protection against surface rust and oxidisation.

#### Applications:

- Household and DIY applications
- Building and construction
- Automotive, marine and aerospace

## **General Specifications**

RS Stock Number	Approvals	Finish	Material	Thread Size
2450633	ASME B18.2.2 ASTM A563	Zinc	Steel	1/4-20
2450634	ASME B18.2.2 ASTM A563	Zinc	Steel	5/16-18
2450635	ASME B18.2.2 ASTM A563	Zinc	Steel	3/8-16
2450636	ASME B18.2.2 ASTM A563	Galvanised	Steel	3/4-16
2450638	ASME B18.2.2 ASTM A563	Zinc	Steel	7/16-14
2450639	ASME B18.2.2 ASTM A563	Zinc	Steel	1/2-13
2450640	ASME B18.2.2 ASTM A563	Zinc	Steel	9/16-12
2450641	ASME B18.2.2 ASTM A563	Zinc	Steel	5/8-11
2450642	ASME B18.2.2 ASTM A563	Zinc	Steel	3/4-10
2450644	ASME B18.2.2 ASTM A563	Zinc	Steel	7/8-9
2450645	ASME B18.2.2 ASTM A563	Zinc	Steel	#1-8
2450646	ASME B18.2.2 ASTM A563	Galvanised	Steel	#1-8
2450647	ASME B18.2.2 ASTM A194	Zinc	Steel	1/4-20
2450648	ASME B18.2.2 ASTM A194	Zinc	Steel	5/16-18
2450649	ASME B18.2.2 ASTM A194	Zinc	Steel	3/4-16
2450650	ASME B18.2.2 ASTM A194	Galvanised	Steel	3/4-16

## **Hex Nuts**



ASME B18.2.2 ASTM A194	Zinc	Steel	7/16-14
ASME B18.2.2 ASTM A194	Zinc	Steel	1/2-13
ASME B18.2.2 ASTM A194	Galvanised	Steel	1/2-13
ASME B18.2.2 ASTM A194	Zinc	Steel	9/16-12
ASME B18.2.2 ASTM A194	Galvanised	Steel	5/8-11
ASME B18.2.2 ASTM A194	Galvanised	Steel	3/4-10
ASME B18.2.2 ASTM A194	Zinc	Steel	7/8-9
ASME B18.2.2 ASTM A194	Galvanised	Steel	7/8-9
ASME B18.2.2 ASTM A194	Zinc	Steel	#1-8
ASME B18.2.2 ASTM A194	Galvanised	Steel	#1-8
ASME B18.2.2 ASTM A563	Galvanised	Steel	1/2-13
ASME B18.2.2 ASTM A563	Galvanised	Steel	5/8-11
ASME B18.2.2 ASTM A563	Galvanised	Steel	3/4-10
ASME B18.2.2 ASTM A563	Galvanised	Steel	7/8-9
ASME B18.2.2 ASTM A194	Zinc	Steel	5/8-11
ASME B18.2.2 ASTM A194	Zinc	Steel	3/4-10
	ASME B18.2.2 ASTM A194  ASME B18.2.2 ASTM A563  ASME B18.2.2 ASTM A563	ASME B18.2.2 ASTM A194  ASME B18.2.2 ASTM A563  ASME B18.2.2 ASTM A194  Zinc	ASME B18.2.2 ASTM A194 Zinc Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A194 Zinc Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A194 Zinc Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A194 Zinc Steel  ASME B18.2.2 ASTM A194 Galvanised Steel  ASME B18.2.2 ASTM A563 Galvanised Steel  ASME B18.2.2 ASTM A194 Zinc Steel