

FEATURES

- Quick connection and disconnection
- Large range to comply food norms
- Silicon free
- Operating temperature range is from - 15 °C to + 190 °C

RS PRO ORIENTING ELBOW MALE ADAPTOR (PARALLEL) - FOOD GRADE

RS Stock No.: 2312762



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO orienting elbow male adaptor (parallel) works in - 0.99 bar to 20 bar pressure range. It is mainly used in dairy, coffee machine, vending, food & beverage, medical, vacuum applications. It is available in brass with Food Grade coating. In combination with FEP tubes, it is the most demanded solution for the Food & Beverage market. Because of the special coating it can be used also in aggressive environment. RoHS and REACH compliant.

General Specifications

Material	Nickel Plated Brass
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment

Mechanical Specifications


Connection Type	Threaded, Tube
Tube Connection Size	8mm
Coupling Gender	Male
Threaded Connection	1/8 in Male
Thread Size	1/8in
Hose Barb Connection	8mm
Mounting Hole Diameter	14.5mm
Wrench Size1	12
Wrench Size2	13
Length L1	22.5mm
Length L2	20.1mm

Operation Environment Specifications

Minimum Operating Temperature	-15°C
Maximum Operating Temperature	190°C

Similar Products

Parameters	2312758	2312760
Brand	RS PRO	RS PRO
Thread Size	1/8in	1/8in
Wrench Size1	9	11
Wrench Size2	13	13
Length L1	18mm	21mm
Length L2	16.1mm	18.1mm



Pneumatic Quick Connect Couplings



Tube	A	B	L1	L2	CH1	CH2	D	Pack.
8	1/8	5.4	22.5	20.1	12	13	14.5	10