



## Main

Range	Acti 9
Device short name	ISW
Product or component type	Switch
Switch application	Control
Poles description	1P
Utilisation category	AC-22A

## Complementary

[Ie] rated operational current	32 A 250 V AC 50/60 Hz
[Ue] rated operational voltage	250 V AC 50/60 Hz
[Ui] rated insulation voltage	250 V AC 50/60 Hz conforming to IEC EN 60669-1
[Uimp] rated impulse withstand voltage	4 kV
Control type	Toggle
Local signalling	ON/OFF indication and lamp
Signalling circuit voltage	AC : 230 V 50/60 Hz
Mounting mode	Fixed
Mounting support	DIN rail
9 mm pitches	2
Colour	White
Mechanical durability	300000 cycles
Electrical durability	30000 cycles
Connections - terminals	Tunnel type terminals: 1 cable(s) 1.5...10 mm <sup>2</sup> flexible Tunnel type terminals: 1 cable(s) 1.5...10 mm <sup>2</sup> rigid Tunnel type terminals: 2 cable(s) 2.5 mm <sup>2</sup> flexible Tunnel type terminals: 2 cable(s) 2.5 mm <sup>2</sup> rigid Tunnel type terminals: 2 cable(s) 4 mm <sup>2</sup> flexible Tunnel type terminals: 2 cable(s) 4 mm <sup>2</sup> rigid
Wire stripping length	9 mm
Tightening torque	1.2 N.m

## Environment

standards	IEC EN 60669-1
IP degree of protection	IP4
pollution degree	2
tropicalisation	2

## Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1001 - Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations

## Contractual warranty

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

