

## FEATURES

- EMC approved (ECE R10)
- Sealed for life against dust and moisture ingress
- Meets IP67 protection standards
- • -30 to +50° (extreme temperature)
- Low power consumption
- Providing excellent all-round visibility

## RS PRO Amber LED Beacon, 10 → 100 V dc, Flashing, Screw Mount

RS Stock No.: 907-5980



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

These Low Profile LED Beacons from our own RS PRO brand is ideal for off-road use and is also suitable for a variety of vehicles and industrial applications. The use of LED technology offers substantial maintenance savings by avoiding the need for regular lamp replacement which could be tricky on higher vehicles

### General Specifications

<b>Bulb Type</b>	LED
<b>Light Effect</b>	Flashing
<b>Lens Colour</b>	Amber
<b>Flash Pattern</b>	Static , Single, Double ,Quad
<b>Housing Colour</b>	Black
<b>Lamp Include</b>	Yes
<b>Multifunction</b>	Yes
<b>Number of flash patterns</b>	4
<b>Number of LED</b>	4
<b>Special Features</b>	Fully Encapsulated Electronics, Low Power Consumption

### Electrical Specifications

<b>Supply Voltage</b>	10VDC to 100 VDC
<b>Current Type</b>	DC

### Mechanical Specifications

Dimensions	95mm (h)
Base Diameter	77mm
Mounting Style	Screw Mount

### Operation Environment Specifications

Maximum Temperature	-30°C
Minimum Temperature	+50°C


### Protection Category

IP Rating	IP 67
-----------	-------



### Approvals


Standards Met	EMC (ECE R10), RoHS Compliant
---------------	-------------------------------






- 10-100Vdc**
- AMBER RS 907-5961 
  - RED RS 907-5965 
  - GREEN RS 907-5974 

- 110-230Vac**
- AMBER RS 907-5977 
  - RED RS 907-5971 



- 10-100Vdc**
- AMBER RS 907-5980 
  - RED RS 907-5983 
  - GREEN RS 907-5987 

- 110-230Vac**
- AMBER RS 907-5996 
  - RED RS 907-5999 