



MASTER PL-C 2 Pin

MASTER PL-C 18W/830/2P 1CT/5X10BOX

Energy-saving compact fluorescent lamps. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 4 parallel narrow fluorescent tubes

Warnings and Safety

- Use only with electromagnetic control gear
- \cdot Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Color rendering index (CRI)	82	
Cap-Base	G24D-2 [G24d-2]			
		Operating and Electrical		
Light Technical		Power Consumption	17.9 W	
Color Code	830 [CCT of 3000K]	Lamp Current (Nom)	0.230 A	
Luminous Flux	1,200 lumen			-
Color Designation	Warm White (WW)	Controls and Dimming		
Correlated Color Temperature (Nom)	3000 K	Dimmable	No	
Luminous Efficacy (rated) (Nom)	67 lm/W			


MASTER PL-C 2 Pin

Approval and Application					
Mercury (Hg) Content (Nom)	1.4 mg				
Energy Consumption kWh/1000 h	22 kWh				
Product Data					

Full product code	871150026923200		
Order product name	MASTER PL-C 18W/830/2P 1CT/5X10BOX		
Order code	927905783001		


Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	50			
Material number (12NC)	927905783001			
Full product name	MASTER PL-C 18W/830/2P 1CT/5X10BOX			
EAN/UPC - Case	8711500269171			

Dimensional drawing



Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 18W/830/2P 1CT/	27.1 mm	27.1 mm	109.5 mm	128.0 mm	150.4 mm
5X10BOX					


Photometric data




Spectral Power Distribution Colour - MASTER PL-C 18W/830/2P 1CT/5X10BOX

MASTER PL-C 2 Pin

Lifetime



Life Expectancy Diagram - MASTER PL-C 18W/830/2P 1CT/5X10BOX



Lumen Maintenance Diagram - MASTER PL-C 18W/830/2P 1CT/5X10BOX



Life Expectancy Diagram - MASTER PL-C 18W/830/2P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.