



NT 40/1 Tact Te L

Compact and easy to transport: the NT 40/1 Tact Te wet and dry vacuum cleaner with Tact filter cleaning system and 40-litre bumpered container for long, uninterrupted operation.



1 Suction hose connection in the machine head

- The suction hose port in the machine head permits a larger usable container capacity.
- Easy emptying of the container by connecting the hose and machine head.

2 Storage rack and fixing options

- Tool boxes can be placed on the flat machine head without slipping thanks to its rubberised surfaces.
- Transport eyelets facilitate secure fixing with conventional anchoring straps.

3 Optional push handle

- The optional push handle can be mounted quickly and easily for convenient transport to the location of use.

4 Moisture-resistant PES flat pleated filter

- The PES flat pleated filter for dust class M reliably holds back 99.9% of all particles.
- Whether for wet or dry application: it is not necessary to change the PES filter.



NT 40/1 Tact Te L

- PES flat pleated filter
- Antistatic preparation
- Optional push handle

Technical data

Order no.	1.148-311.0	
EAN code	4054278061344	
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	40
Max. rated input power	W	1380
Standard nominal width		35
Sound pressure level	dB(A)	68
Container material	plastic	
Number of motors	1	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	14.4
Dimensions (L × W × H)	mm	560 × 370 × 655

Equipment

Suction hose	m	4	Protection class	I
Filter bag		fleece	Steering roller stop	■
Wet and dry floor nozzle	mm	360	Filter cleaning	Tact filter cleaning system
Crevice nozzle		■	Suction tubes, stainless steel, 2 x 0.55 m	■
Power tool connection adaptor		■		
Automatic switch-off at max. filling quantity		■		
Automatic on/off switch for power tools		■		
Antistatic preparation		■		
Eco filter system		■		
Flat pleated filter		PES		
Sturdy bumper		■		

■ Included in the scope of supply.

ACCESSORIES FOR NT 40/1 TACT TE L

1.148-311.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Plastic sacks for dust-free disposal									
Plastic bag for dust-free disposal	1	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	■
Suction tubes, stainless steel									
Suction tube set	2	2.889-175.0	2 piece(s)	ID 35	0.55 m			Stainless steel suction tube set (2x0.55 m)	■
Set suction tube stainless steel NW35 55	3	2.889-192.0		ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Set suction tube stainless steel NW40 55	4	2.889-194.0		ID 40	550 mm				□
Flat pleated filter, PES									
Flat pleated filter, PES	5	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
	6	6.904-190.0	1 piece(s)					Polyester fleece material, rot-proof, BIA-C dust class M approved.	■
Fleece filter bags (three-ply)									
Fleece filter bags	7	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
Bend, plastic									
Bend Adv	8	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	■
DN 40 bend	9	2.889-171.0		ID 40				Bend for the new clip system in nominal size DN 40.	□
DN 40 bend, electrically conductive	10	2.889-172.0		ID 40				Bend for the new clip system in nominal size DN 40. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Bend Adv, antistatic, with secondary air slider	11	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	12	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Floor nozzles									
Wet and dry floor nozzle Adv	13	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Floor tool anthracite packaged NW35	14	2.889-173.0							□
Wet and dry floor nozzle	15	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	16	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	17	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	18	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Wet and dry floor nozzle Adv	19	2.889-153.0	1 piece(s)	ID 40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Crevice nozzles									
Crevice nozzle NT Tact DN 35	20	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle NT Tact DN 40	21	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 40/1 TACT TE L

1.148-311.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Complete suction hoses (clip system)									
Suction hose	22	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	■
	23	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	□
Hose packaged NW35 2.0m	24	2.889-161.0	1 piece(s)	ID 35	2 m				□
Suction hose	25	2.889-134.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	26	2.889-136.0	1 piece(s)	ID 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	27	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose	28	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	□
	29	2.889-139.0	1 piece(s)	ID 40	2.5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	30	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	31	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
	32	2.889-142.0	1 piece(s)	ID 40	2.5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
Connection adapter for power tools, clip-on, electrically conductive									
Tool collar DN 35, clip-on	33	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
Suction tubes, metal									
Set suction tube chromed NW35 550mm	34	2.889-191.0							□
Flat pleated filter, paper									
Flat pleated filter, paper	35	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	□
Flat pleated filter, PTFE									
Flat pleated filter, PTFE	36	6.907-455.0	1 piece(s)					Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	□
Coarse dirt filter for wet vacuuming									
Coarse dirt filter	37	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
HEPA, dust class H filter									
HEPA flat pleated filter	38	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
All-purpose brushes									
All-purpose brush	39	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	□
Car cleaning nozzles									
Car nozzle	40	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Combi-nozzles, dry									
Combi-nozzle, dry	41	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
	42	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 40/1 TACT TE L

1.148-311.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction brushes									
Suction brush	43	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Repair kits									
Repair kit ID 35	44	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair kit ID 40	45	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
Suction hoses complete									
Suction hose cone connection	46	2.889-143.0	1 piece(s)	ID 50	4 m			Suction hose with new bayonet fastener and cone connection to bend. Length: 4 m.	<input type="checkbox"/>
Suction hose, oil-resistant, with cone connection	47	2.889-144.0	1 piece(s)	ID 50	4 m			Suction hose, 4 m long, oil-resistant. With new bayonet fastener and cone connection to bend.	<input type="checkbox"/>
Extension hoses (clip system)									
Extension hose	48	2.889-145.0	1 piece(s)	ID 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
	49	2.889-146.0	1 piece(s)	ID 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
Other									
Push handle for NT 40/1 Tact Te L	50	2.643-868.0	1 piece(s)					Ergonomic push handle for NT 40/1 Tact Te L.	<input type="checkbox"/>
Drilling dust nozzle	51	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 ME	52	2.863-027.0	1 piece(s)						<input type="checkbox"/>
Target-group-specific accessory kits for vacuum cleaners									
Universal kit for industrial and commercial use	53	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>
Heating boiler cleaning kit	54	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Car cleaning accessory kit	55	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.