Product datasheet

Specifications





APC Replacement Battery Cartridge, VRLA battery, 10Ah, 48VDC, 2-year warranty

RBC43

Overview

Lead Time

Usually i	in Stock
-----------	----------

Main

Product Or Component Type	Replacement battery cartridge
Number Of Cables	1
Battery Type	Lead-acid battery
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide

Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cartridge
Battery Voltage	48 V
Number Of Battery Replacement Quantity	1

Physical

Height	7.6 cm
Width	21.6 cm
Depth	53.3 cm
Net Weight	19.09 kg
Mounting Mode	Not rack-mountable
Usb Compatible	No

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %



Packing Units

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	22.900 cm
Package 1 Width	76.800 cm
Package 1 Length	39.400 cm
Package 1 Weight	20.450 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	12
Package 2 Height	80.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	257.160 kg

Contractual warranty

Warranty

2 years repair or replace.

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.





Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information



