

ENGLISH

Datasheet

RS Pro P13.5s Filament Indicator Lamp, Clear, 4 V, 850 mA, 25h

RS Stock No: 655-9097



Product Details

RS Pro P13.5s filament indicator lamp comes with clear lens and P13.5s prefocus base. It is filled with Krypton and Xenon gas for super-high brightness. It has a voltage rating of 4 V and current rating of 850 mA. The lamp has 25 h life.

Features and Benefits

- Alternative to vacuum types
- P13.5s prefocus base
- Clear lens



ENGLISH

Specifications:

Current Rating	850 mA
Diameter	9.3 mm
Lamp Base	P13.5s
Lamp Size	Т9
Length	31 mm
Lens Colour	Clear
Life Hours	25 h
Luminosity	60 lm
Voltage Rating	4 V





RS Stock No.	655909	97
ORAWING - I		
	Ø 9,3 max.	nax.
		Unit: mm
	Bulb Type	Unit: mm
Structure	Bulb Type Bulb Diameter	United States Over Management
I. Structure	COMPANIE AND ADDRESS OF THE PARTY OF THE PAR	T9x28
I. Structure	Bulb Diameter	T9x28 Ø 9.3Max.
I. Structure	Bulb Diameter Length	T9x28 Ø 9.3Max. 31.0Max
	Bulb Diameter Length Base Type	T9x28 Ø 9.3Max. 31.0Max P13.5s
2. Design	Bulb Diameter Length Base Type Voltage Amperage	T9x28 Ø 9.3Max. 31.0Max P13.5s 4V
1. Structure 2. Design Characteristics	Bulb Diameter Length Base Type Voltage	T9x28 Ø 9.3Max. 31.0Max P13.5s 4V 850mA±10%