

## USB 3.1 Dual 3.5" SATA (6Gbps) HDD Enclosure with RAID - USB-C and USB-A

#### Product ID: S352BU313R



This USB 3.1 dual-bay drive enclosure makes it easy to add high-capacity, high-performance external data storage to your laptop or desktop computer. The dual-bay RAID enclosure supports two 3.5" SATA hard drives with ultra-fast data transfer speeds and configurable RAID modes.

Create a high-capacity, external data storage solution with support for two 3.5" HDDs, SSDs or SSHDs. This 2-bay 3.5" drive enclosure delivers fast file transfer rates up to 10Gbps with USB 3.1 Gen 2 performance. It supports SATA I, II and III and is enhanced with UASP to maximize the performance and speed of your SATA III drives.

The dual-drive RAID enclosure provides an effective solution for creative professionals, office employees, researchers, and medical personnel to store, access, back up, and protect important files. It gives you the peace of mind of knowing that your data is safe, secure, and protected.

With multiple RAID options, you can gain increased storage size, performance, or redundancy. The enclosure supports RAID 0, RAID 1, JBOD and SPAN (BIG), which enables you to choose your preferred backup mode and customize your drive arrangement based on your storage requirements.

To maximize both durability and reliability, the external RAID enclosure features an aluminum and plastic housing with a metal hard-drive mounting tray. It also features a built-in fan, to help dissipate operating heat and maintain an optimum operating environment for drive protection.

The dual-bay drive enclosure includes both a USB-C and USB-A cable for flexible use with the latest laptops and tablets, equipped with a USB-C port, Thunderbolt 3 USB-C port, as well as legacy devices. The enclosure is OS independent, requiring no additional software or drivers.

The S352BU313R is backed by a StarTech.com 2-year warranty and free lifetime technical support.

## **Certifications, Reports and Compatibility**















# **Applications**

- Ideal for small business or home offices, build an external RAID array for data redundancy, to protect against drive failure when working with important data
- · Video editing or photography professionals/enthusiasts can securely work with very large files
- Transfer large files between computers quickly and securely without a network
- · Easy storage transfers between different computer systems and large volume external storage for backups/archiving

#### **Features**

- Supports two 3.5" SATA HDDs/SSDs/SSHDs
- Data transfer speeds of up to 10Gbps through USB 3.1 Gen 2 connectivity
- Supports RAID 0, RAID 1, JBOD and SPAN (BIG)
- Supports SATA revision I/II/III (up to 6 Gbps)
- · Aluminum and plastic housing with metal hard-drive mounting tray
- Compatible with Thunderbolt 3 USB-C port
- Built-in fan
- Includes 2 cables, USB-C to B and USB-A to B
- Backward compatible with USB 3.0 (USB Gen 1), USB 2.0

Hardwar	е
---------	---

Warranty 2 Years

Fan(s) Yes

Fans 1 - 50 mm

Interface USB 3.2 Gen 2





Bus Type USB 3.2 Gen 2

Number of Drives 2

Drive Size 3.5in

Compatible Drive Types SATA

Drive Installation Fixed

Fan Bearing Type Sleeve Bearing

Chipset ID ASMedia - ASM1352R

**Performance** 

Maximum Data Transfer

Rate

10 Gbps

Type and Rate USB 3.2 Gen 2 - 10 Gbit/s

UASP Support Yes

TRIM Support Yes

4Kn Support Yes

Type and Rate SATA III (6 Gbps)

Hardware Raid Supported Yes

Supported RAID Modes RAID 0 (Striped Disks)

RAID 1 (Mirrored Disks)

JBOD - (Just a Bunch of Disks)

BIG (Spanning or Concatenation)

Max Drive Capacity Tested up to 10TB

MTBF 100,000 hours

Connector(s)

Drive Connectors 2 - SATA Data & Power Combo (7+15 pin)

Host Connectors 1 - USB 3.2 USB Type-B (9 pin, Gen 2, 10 Gbps)

Software



OS Compatibility	OS independent; No software or drivers required	

Special Notes / Requirements

Note Windows 7 and earlier Windows versions do not support TRIM

with USB to SATA devices.

**Indicators** 

LED Indicators 1 - Power

2 - Drive Activity

**Power** 

Power Source AC Adapter Included

Input Voltage 100 - 240 AC

Input Current 1.0A

Output Voltage 12V DC

Output Current 3.0A

Center Tip Polarity Positive

Plug Type M

Power Consumption (In

Watts)

36W

**Environmental** 

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -10C to 65C (14F to 149F)

Humidity 5%~95% RH

Physical Characteristics

Color Black

Material Aluminum and Plastic

Product Length 7.5 in [19.0 cm]

Product Width 3.0 in [7.5 cm]

Product Height 4.9 in [12.5 cm]



	Weight of Product	2.2 lb [1.0 kg]
Packaging Information		
	Package Quantity	1
	Package Length	10.3 in [26.1 cm]
	Package Width	7.3 in [18.6 cm]
	Package Height	5.9 in [15.1 cm]
	Shipping (Package) Weight	3.9 lb [1.8 kg]
What's in the Box		
	Included in Package	1 - dual-bay enclosure
		1 - universal power adapter (NA/JP, UK, EU, ANZ)
		1 - USB-A to USB-B cable
		1 - USB-C to USB-B cable
		1 - enclosure stand
		8 - drive screws
		1 - quick-start guide

<sup>\*</sup>Product appearance and specifications are subject to change without notice.