Eaton 170M5463

Catalog Number: 170M5463

Fuse-link, high speed, 700 A, AC 690 V, size 2, aR, IEC, UL, single indicator

General specifications

051712815314

Product Width

Not Applicable

Certifications UL Recognized IEC Rated

51 mm

Warranty

Product Name Eaton Bussmann series high speed square body fuse

Catalog Number 170M5463

Model Code FUSE 700A 690V 2BKN/50 AR UC

EAN 5027590457316

Product Height 59 mm

Product Weight 558 g

Compliances CE Marked **RoHS** Compliant





Product specifications

Interrupt rating

200 kAIC

Center-to-center distance of connections

50.3 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Mounting method

Flush

Amperage Rating

700 A

Fuse type

Flush end BKN/Type K Indicator for Micro

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A

Fitted with:

Type K Indicator for micro

Fuse size

2

Voltage rating 690 V (IEC), 700 V (UL)

Fuse indicator Centre fuse status indicator

Construction size

2

Clearing (I2T) 405000 at 660 V

Rated voltage AC

690 V

Color

None

Mounting dimension M10

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M5463~Eaton Bussmann series high speed square body fuse

Compliance information

UKCA Fuse-links for the protection of semiconductor devices, Size 2 $\,$

CE Fuse-links for the protection of semiconductor devices, Size 2 $\,$

Utilization category

aR (accompanied semiconductor protection)

Watt losses

95 W

Туре

Fuse

Fuse shape

Square body, flush end contacts

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

60500

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia