

FEATURES

- General-purpose swivel castor
- Light duty
- Load capacity of 50kg
- Wheel diameter of 50mm
- Overall height of 72mm
- Fixing plate dimensions of 50mm x 50mm
- Rubber tyres
- Included top plate fitting
- Four fixing holes of 6mm
- Plain bore hub bearings

RS PRO Swivel Swivel Castor, 50kg Load Capacity, 50mm Wheel Diameter

RS Stock No.: 828-6287



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

This RS PRO swivel castor is ideally suited for short-distance light-duty equipment transport, such as moving appliances around an office or workplace, or setting up a mobile desk, table or chair. The ball-bearing swivel head allows 360° of rotation, maximizing mobility, and the castor can carry loads of up to 50 kg.

The swivel castor has a 50 mm x 50 mm square fixing plate with four 6 mm bore holes, ensuring easy installation and a secure attachment. The 50 mm diameter grey rubber tyre protects indoor floors from scratches and will not leave marks. The pressed steel bracket and polypropylene (PP) wheel hub are hardwearing.

General Specifications

Rotation	Swivel
Weight Class	Light Duty
Load Capacity	50kg
Tyre Material	Rubber
Hub Material	Polypropylene
Bracket Material	Pressed steel
Includes Brake	No
Features	Top Plate Fitting
Applications	General Purpose, offices, warehouses and other industrial environments

Mechanical Specifications

Mounting Type	Plate
Wheel Diameter	50mm
Wheel / Tread Width	18mm
Overall Height	72mm
Number of Fixing Holes	4
Fixing Hole Size	6mm
Hub Bearing Type	Plain Bore

Fixing Centres Specifications	
Fixing Centres	36mm x 36mm
Fixing Centres (Length)	36mm
Fixing Centres (Width)	36mm

Fixing Plate Specifications	
Fixing Plate Dimensions	50mm x 50mm
Fixing Plate Length	50mm
Fixing Plate Width	50mm



Specification	
Application	General Purpose / Industrial
Features	Ball Bearing Swivel Head
Fixing Centres	36x36mm
Fixing Centres Length	36mm
Fixing Centres Width	36mm
Fixing Hole Size	6mm
Fixing Plate Dimensions	50x50mm
Fixing Plate Length	50mm
Fixing Plate Width	50mm
Hub Bearing Type	Plain
Hub Material	Polypropylene
Load Capacity	50kg
Number of Fixing Holes	4
Overall Height	72mm
Rotation	Swivel
Tyre Material	Grey Rubber Tyre
Weight Class	Light Duty
Wheel Diameter	50mm
Wheel Width	18mm