

Datasheet

RS PRO DIN PLUG TWIST LOCK

Stock No: 2513626, 2513628, 2513629, 2513631






Technical Specifications:

Connector type:	Plug
Mounting type:	Cable
IP Rating:	IP40
Contact Gender:	Male

Dimensions & connections

7	Strain Boot	PVC		1
6	Terminals	Brass	Silver Ptd.	AS TABLE
5	Housing	PA66		1
4	Screw	Steel	Nickel Ptd.	1
3	T Holder	Steel	Nickel Ptd.	1
2	YE-139X Cap	Zn Alloy	Nickel Ptd.	1
1	YE-139X Cover	Zn Alloy	Nickel Ptd.	1
No.	Description	Material	Treat	Q'ty



Specifications
rating :

100V AC 4A MAX
 contact resistance :
 pins-30mΩ MAX; shell-50mΩ MAX
 insulation resistance :
 MIN 100 MEGΩ @500V DC
 voltage withstand :
 250V AC R.M.S. for 1 minute

YE-1393NR	YE-1394NR	YE-1395ANR	YE-1395BNR	YE-1396NR	YE-1397NR	YE-1398ANR

Quality Standards

CERTIFICATION OF RoHS3 COMPLIANCE

Signing this document confirms that **YEU TSANG CO., LTD.** understands and are compliant with European Union Directive (EU) 2015/863 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS3). Specifically, products supplied do not contain as below:

• Lead	0.1% (1000ppm)
• Mercury	0.1% (1000ppm)
• Cadmium	0.01% (100ppm)
• Hexavalent Chromium	0.1% (1000ppm)
• PBBs	0.1% (1000ppm)
• PBDEs	0.1% (1000ppm)
• DEHP	0.1% (1000ppm)
• DBP	0.1% (1000ppm)
• BBP	0.1% (1000ppm)
• DIBP	0.1% (1000ppm)

List of RoHS3 Products (attach a list if necessary):

_YE-1393NR_____

_YE-1394NR_____

_YE-1395ANR_____

_YE-1398ANR_____

Company: _____ YEU TSANG CO., LTD _____

Signature: _____ *Sky Shih* _____

Printed Name: _____ Sky Shih _____

Title: _____ SALES MANAGER _____

Date: _____ 2022/4/26 _____

