

FEATURES

- Material : UL approved Nylon 66, flammability rating 94V-2.
- Color : Natural
- Nylon 66 PLATE with cable tie fastening hole to accommodate marker pieces for easy identification of cable runs.
- Blank nylon arrowhead shape plate fixed with a cable tie.

RS PRO Marker Strip

RS Stock No.: 2153048, 2153050



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

ATTRIBUTE 1

- Material: UL approved Nylon 66 , flammability rating 94V-2.
- Color: Natural
- Nylon 66 PLATE with cable tie fastening hole to accommodate marker pieces for easy identification of cable runs.
- Blank nylon arrowhead shape plate fixed with a cable tie.

General Specifications


Series	Marker Strip
Type	
Colour	Natural
Material	UL approved Nylon 66 Nylon 66, 94V2
Finish	
Application	
Resistant To	
UV Resistant	No
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	100 / 100

Mechanical Specifications

Length	65mm / 100mm
Width	9.0mm / 9.0mm
Available loaded quantity Cable Marker	9pcs / 16pcs

Approvals

Declarations	
Standards Met	RoHS, HF, SVHC



Unit: mm

RS Article(will be replayed RS new article no.)	KSS Item No.	L	W	T	Available loaded quantity of 812-1076 ~ 812-1209 Cable Marker	Packing
686-8625	MS-65NA	65	9	6.7	9 pcs	100 pcs / Bag
686-8629	MS-100NA	100	9	7	16 pcs	