

FEATURES

- Wire is unterminated and partially stripped
- Cable length is 10m
- Insulation Resistance
 >= 100 MΩ
- Brass nickel plated coupling nut

RS PRO M12 FEMALE RIGHT ANGLE CONNECTOR ASSEMBLY 8 PIN 8 WIRE 10m PUR CABLE

RS Stock No.: 2067624



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description ATTRIBUTE 1

M12 Single Ended Cable Assembly

Brought to you under the trusted RS Brand, this range of M12 connector cable assemblies are commonly used in sensor and automation equipment. Boasting a high degree of environmental protection, they are ideal for industrial use. Fitted with a secure coupling nut, these RS M12 Connector Cable Assemblies are left un-terminated and partially stripped at one end, and are an ideal solution for when secure and reliable data transference is needed.

Features and Benefits:

- · Wire is un-terminated and partially stripped
- Insulation Resistance >= 100 MΩ
- Neoprene O-Ring
- · Brass nickel plated coupling nut

General Specifications

Rated Operational Voltage	30 V
Current Rating	2A
Insulation Resistance	>= 100 MΩ
Temperature Range	-25°C +75°C
Coding	A-Coded

Material Specifications	
Grip Material	PU
Contact	Cu-Zn
Contact Plating	Gold Flash
Contact Carrier	Nylon 66
O-Ring	Neoprene
Grip Color	Black
Coupling Nut	Brass Nickel-Plated

Cable Specifications

Cable Length-L	10 m
Cable Type	8 Core PUR Multi Strand
Sheath Color	Black
Cross Section of Wire	0.25 sq. mm

RS PRO M12 SINGLE ENDED CABLE ASSEMBLY




Core Dia	1.3 mm
Cable Dia	6.8 ± 0.1 mm
Termination	Partially Stripped


Protection Category	
Degree of Protection	IP67

Additional Information	
Custom Tariff Number	85369090

Approvals				
Standards Met		IEC 61076-2-101		
Similar Product	s			
Stock No.	Brand	Product Name	Attribute 1	Attribute 2

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories





All Dimensions are in mm.