


## **FEATURES**

- Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
- EC type cable marker features high quality flexible interior to fit various cable diameters.
- The markers stay attached on a roller and can be despatched easily when needed.
- Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.
- To be fitted before the terminal is attached or solder connection made and grip cable firmly in position.

## **RS PRO**

RS Stock No.: 2252159, 2252165, 2252161, 2252170, 2252173, 2252164, 2252172, 2252160, 2252177, 2252158, 2252175, 2252176, 2252162, 2252163, 2252166, 2252171, 2252169, 2252167



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

**Product Description** 

## **PVC Color Coded Cable Marker**




- Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
- EC type cable marker features high quality flexible interior to fit various cable diameters.
- The markers stay attached on a roller and can be despatched easily when needed.
- Bold print on yellow body to show your codes distinguishly. Any numbers
  can be composed by arranging letters and numbers in sequence to provide
  the necessary codes.
- To be fitted before the terminal is attached or solder connection made and grip cable firmly in position.

### **General Specifications**

Series	Color coded cable marker				
Туре					
Colour					
Material	PVC				
UV Resistant	No				
Minimum Operating Temperature	0°C				
Maximum Operating Temperature	70°C				

#### **Mechanical Specifications**



#### **Approvals**

Declarations	
Standards Met	RoHS, SVHC

## Similar Products

# **PVC Color Coded Cable Marker**



Stock No.	Brand	Product Name	Colour	Material	Tensile strength



Unit: mm

	Suitable Wire		Suitable Range		Std.			
KSS Item No.	sq	AWG	I.D.	L	Markings	Color	Packing	
WEC1-0BK 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	0	Black		
WEC1-1BN 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	1	Brown		
WEC1-2RD 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	2	Red		
WEC1-3OE 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	3	Orange		
WEC1-4YW 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	4	Yellow		
WEC1-5GN 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	5	Green		
WEC1-6BE 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	6	Blue		
WEC1-7VT 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	7	Violet		
WEC1-8GY 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	8	Grey	250 peo / BC	
WEC1-9WE 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	9	White	250 pcs / BG	
WEC1WE-250(00L)	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	L	White		
WEC1WE-250(00N)	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	N	White		
WEC1WE-250(00R)	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	R	White		
WEC1WE-250(00S)	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	S	White		
WEC1WE-250(00T)	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	Т	White		
WEC1WE-+ 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	+	White		
WEC1WE 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	-	White		
WEC1WE-GD 250	0.75 ~ 3.5	18 ~ 12	3.0 ~ 4.2	4	丰	White		

