



Main

Range	Acti9
Product name	Acti9 D0
Product or component type	Fuse-switch disconnecter
Device short name	D02
Poles description	3P
Number of protected poles	3
Utilisation category	AC-22A conforming to IEC 60947-3

Complementary

[In] rated current	63 A
Fuse curve	GG AM
Fuse size	15 x 36 mm
Fuse size code	D02
[Ue] rated operational voltage	230...400 V AC 50/60 Hz
[Ui] rated insulation voltage	400 V
[Uimp] rated impulse withstand voltage	6 kV
Mounting mode	Fixed
Mounting support	35 mm symmetrical DIN rail
9 mm pitches	9
Height	88 mm
Width	81 mm
Depth	68 mm
Mechanical durability	8500 cycles open-close
Electrical durability	1500 cycles
Connections - terminals	Screw clamp terminals 1.5...35 mm ² rigid Screw clamp terminals 1.5...25 mm ² flexible Screw clamp terminals 1.5...25 mm ² flexible with cable end
Wire stripping length	14 mm
Tightening torque	3 N.m

Environment

Standards	IEC 60269-3 EN 60947-3 IEC 60269-1 IEC 60947-3 EN 60947-1 IEC 60947-1
Quality labels	VDE
IP degree of protection	IP20
Ambient air temperature for operation	-5...40 °C
Ambient air temperature for storage	-25...55 °C

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm
Package 1 Width	8.000 cm
Package 1 Length	8.500 cm
Package 1 Weight	406.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	8.700 cm
Package 2 Width	9.800 cm
Package 2 Length	33.200 cm
Package 2 Weight	1.685 kg
Unit Type of Package 3	S03
Number of Units in Package 3	24
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	10.399 kg

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product