

FEATURES

- Steel
- IP66
- Simple wall mounting
- All-welded basic body

• High IP index achieved by all-round knife edges against which an expanded PU seal is pressed

 2.6 mm gauge steel wall brackets

- 1.4 mm wall thickness
- RAL 7032

RS PRO Junction Boxes

RS Stock No.: 122119



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

RS PRO IP66 Sealed Terminal Boxes

Introducing a range of RS PRO terminal boxes. These boxes are designed for housing DIN rail terminals and accessories. Constructed from 1.5 mm gauge steel and finished in RAL 7032 (grey colour). Inside the lid is a fitted black polyurethane seal gasket that ensures the IP66 rating which offers protection from water, dirt and debris.

Why would you buy this product?

General Specifications

RS PRO Terminal boxes are manufactured to a very high standard, used for a wide range of applications and are essential for electrical and electro-mechanical jointing applications.

Body Material	2.6 mm gauge steel			
Base Material	2.6 mm gauge steel			
Application	Power Management			
Colour	Grey			
Lid Colour	Grey			
Temperature Range	-20°C to +110°C			
Mounting Type	Wall Mounting			
Shape	Rectangular			
Cover Locking	Screw			
RAL Code	RAL 7032			

Mechanical Specifications	echanical Specifications				
Length	300 mm				
Width	150 mm				
Height	80 mm				
Internal Dimensions	300 x 150 x 80mm				
Wall Thickness	1.4 mm				

Protection Category

IP Rating	IP66



Approvals


Declarations

RoHS Certificate of Compliance

Similar Products

Stock No.	Brand	Product Name	Material	Dimensions
1444457	RS PRO	Junction Box	Glass Reinforced Polystyrene	220mm x 120mm x 90mm
749-1857	RS PRO	Junction Box	Stainless Steel	150mm x 80mm x 150mm

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories



Terminal Box Without Gland Plate

Item	Qty	Description	Material	Finish	Notes
1	1	Basic Enclosure	St 1.5 mm	RAL 7032	
2	1	Lid	St 1.5 mm	RAL 7032	Foam Seal
3	2	Support Rail	St 3.4 mm	Zn-plated	
4	1 kit	Assembly Parts			

Delivery: assembled

Article Number	Α	В	С	Weight kg
122030	300	200	120	3.4
122046	400	200	120	3.6
122052	300	300	120	3.6
122068	400	300	120	4
122096	200	200	120	3.2
122103	150	150	80	2
122119	300	150	80	2.5
122125	200	200	80	2.5
122131	300	200	80	3
122147	400	200	80	3.2
122153	300	150	120	3.2