# Product data sheet Characteristics

# NU328318

Card switch, New Unica, 1-pole 2-way, 10A, 2 modules, screwless terminals, untreated, IP4X, white





#### Main

Range of product	New Unica
Product or component type	Card switch
Device presentation	Mechanism
Technology type	Electromechanical
Switch function	1-pole 2-way
Number of rocker	1
Colour tint	White (RAL 9003)
Type of packing	Flow-pack

Complementary

10 A
250 V
AC
50/60 Hz
20000 cycles, cos phi = 0.6
> 5 MOhm at 500 V
2000 V
200 operations 1.25 In and 1.1 Un, cos phi = 0.3
> 3 mm
Access card
2 modules
Screwless terminals
02.5 Mm² rigid cable 02.5 mm² flexible cable
Thermoplastic ABS-UV stabilised: mechanism rocker PC (polycarbonate) GF10 FR: casing CuZn37: terminals PBT (polybutylene terephthalate) GF30: release button
Card
Glossy
Untreated
Clip-in
45 mm
45 mm
39.95 mm
21.15 mm
0.0323 kg
-540 °C
-550 °C
LV directive IEC 60669-1

Product certifications	CE[RETURN]AENOR[RETURN]EAC[RETURN]NF[RETURN]VDE
Resistance to chemical agents	Resistant to alcohol (70 %)
	Resistant to alcohol (96 %)
	Resistant to A-Lactic Acid
	Resistant to diluted quaternary ammonium
	Resistant to diluted bleach
	Resistant to diluted ammonia
	Resistant to soapy water
	Resistant to crystal cleaner
	Resistant to hydrogen peroxide 10 volumes
	Resistant to hexane

### Environment

IP degree of protection	IP4X
IK degree of protection	IK04
Environmental characteristic	Oil UV resistant Acetone Liquid soap Window-cleaning fluid Petrol Alcohol Bleach

## Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	€Yes
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins