

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGWM 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

Inadvisable uses: None.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF UK Ltd
Address: 400 Capability Green
Zip code: LU1 3LU
City: Luton
Country: UNITED KINGDOM
Email: technical.helpdesk.uk@skf.com
Phone: +44 1582 490049
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

2.2. Label elements

Pictograms



Signal word: Warning

Contains

Substance: Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts;

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear eye protection.

Supplemental information

EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. May produce an allergic reaction.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Substance | CAS No./ EC No./ UK-REACH Reg. No. | Concentration | Notes | CLP-classification |
|--|------------------------------------|---------------|-------|---|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | 68584-23-6 271-529-4 | ≤ 10 % | | Skin Sens. 1B;H317 C ≥ 10%: Skin Sens. 1B;H317 LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | 70024-69-0 274-263-7 | ≤ 5 % | | Skin Sens. 1B;H317 LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 5000 mg/kg bw |
| Sulfonic acids, petroleum, calcium salts | 61789-86-4 263-093-9 | ≤ 5 % | | Skin Sens. 1;H317 C ≥ 10%: Skin Sens. 1;H317 LD50 (Acute toxicity - oral): > 16000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| | | | | |
|---|---------------------------|---------|--|---|
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | 1335202-81-7 932-231-6 | < 3 % | | Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412 LD50 (Acute toxicity - oral): 4445 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 68411-46-1 270-128-1 | ≤ 1 % | | Repr. 2;H361f LD50 (Acute toxicity - oral): > 2500 mg/kg bw |
| C14-16-18 Alkyl Phenol | 1190625-94-5 931-468-2 | ≤ 0.3 % | | Skin Sens. 1B;H317 STOT RE 2;H373 LD50 (Acute toxicity - oral): > 2000 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw |

Please see section 16 for the full text of H- / EUH-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------|---|
| Inhalation: | Seek fresh air. Seek medical advice in case of persistent discomfort. |
| Ingestion: | Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort. |
| Skin contact: | Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort. |
| Eye contact: | Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice. |
| General: | When obtaining medical advice, show the safety data sheet or label. |

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing. The product contains small amounts of Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product. The product contains at least one substance which is a suspected reproductive hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|--|
| Suitable extinguishing media: | Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock. |
| Unsuitable extinguishing media: | Do not use water stream, as it may spread the fire. |

5.2. Special hazards arising from the substance or mixture

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

Not flammable, but combustible. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides/ Nitrous gases.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear safety goggles. Wear gloves. Wear respiratory protective equipment.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

To be stored safely out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging. Store in a cool, dry place. Avoid direct sunlight.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements.

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020. Control of Lead at Work Regulations 2002. Control of Asbestos Regulations 2012.

PNEC

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6 | | | | |
|--|--------------------|-------------------|----------------------|------|
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 868700000 mg/kg dw | | | |
| PNEC STP (wastewater-treatment facilities) | 100 mg/l | | | |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 | | | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 271000000 mg/kg dw | | | |
| PNEC STP (wastewater-treatment facilities) | 100 mg/l | | | |
| Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4 | | | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 271000000 mg/kg dw | | | |
| PNEC STP (wastewater-treatment facilities) | 1000 mg/l | | | |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 | | | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 23 µg/l | | | |
| PNEC aqua (marine water) | 2,3 µg/l | | | |
| PNEC STP (wastewater-treatment facilities) | 3 mg/l | | | |
| PNEC sediment (freshwater) | 174 µg/kg dw | | | |
| PNEC sediment (marine water) | 17,4 µg/kg dw | | | |
| PNEC soil | 620 µg/kg dw | | | |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1 | | | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| | | | | |
|------------------------------|---------------|--|--|--|
| PNEC aqua (marine water) | 3,38 µg/l | | | |
| PNEC sediment (freshwater) | 446 µg/kg dw | | | |
| PNEC sediment (marine water) | 44,6 µg/kg dw | | | |
| PNEC soil | 1,76 mg/kg | | | |
| PNEC aqua (freshwater) | 33,8 µg/l | | | |

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
|--|------------------|-------------------|----------------------|------|
| PNEC aqua (freshwater) | 0,100 mg/l | | | |
| PNEC aqua (marine water) | 0,010 mg/l | | | |
| PNEC sediment (freshwater) | 4266,16 mg/kg dw | | | |
| PNEC sediment (marine water) | 426,62 mg/kg dw | | | |
| PNEC soil | 852,58 mg/kg dw | | | |
| PNEC STP (wastewater-treatment facilities) | 100 mg/l | | | |

DNEL - workers

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|---|-------------------------|-------------------|-----------------|-----------------------|------|
| Dermal DNEL (long-term exposure - systemic effects) | 3,33 mg/kg bw/day | | | | |
| Dermal DNEL (long-term exposure - local effects) | 1,03 mg/cm ² | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m ³ | | | | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|---|-------------------------|-------------------|-----------------|-----------------------|------|
| Dermal DNEL (long-term exposure - systemic effects) | 3,33 mg/kg | | | | |
| Dermal DNEL (long-term exposure - local effects) | 1,03 mg/cm ² | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m ³ | | | | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|---|------------|-------------------|-----------------|-----------------------|------|
| Dermal DNEL (long-term exposure - systemic effects) | 3,33 mg/kg | | | | |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| Dermal DNEL (long-term exposure - local effects) | 1,03 mg/cm ² | | | | |
|--|-------------------------|-------------------|-----------------|-----------------------|------|
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m ³ | | | | |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long-term exposure - systemic effects) | 1,7 mg/kg bw/day | | | | |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1 | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long-term exposure - systemic effects) | 0,08 mg/kg bw/day | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 0,6 mg/m ³ | | | | |
| C14-16-18 Alkyl Phenol, cas-no 1190625-94-5 | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Inhalation DNEL (long-term exposure - systemic effects) | 1,17 mg/m ³ | | | | |
| Dermal DNEL (long-term exposure - systemic effects) | 0,30 mg/kg bw/day | | | | |

DNEL - general population

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6 | | | | | |
|---|--------------------------|-------------------|-----------------|-----------------------|------|
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Oral DNEL (long-term exposure - systemic effects) | 0,8333 mg/kg bw/day | | | | |
| Dermal DNEL (long-term exposure - local effects) | 0,513 mg/cm ² | | | | |
| Dermal DNEL (long-term exposure - systemic effects) | 1,667 mg/kg bw/day | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m ³ | | | | |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long-term exposure - systemic effects) | 1,667 mg/kg bw/day | | | | |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| | | | | | |
|---|--------------------------|--|--|--|--|
| Oral DNEL (long-term exposure - systemic effects) | 0,8333 mg/kg bw/day | | | | |
| Dermal DNEL (long-term exposure - local effects) | 0,513 mg/cm ² | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m ³ | | | | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|---|--------------------------|-------------------|-----------------|-----------------------|------|
| Oral DNEL (long-term exposure - systemic effects) | 0,8333 mg/kg | | | | |
| Dermal DNEL (long-term exposure - systemic effects) | 1,667 mg/kg | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m ³ | | | | |
| Dermal DNEL (long-term exposure - local effects) | 0,513 mg/cm ² | | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|--|-----------------|-------------------|-----------------|-----------------------|------|
| Dermal DNEL (long-term exposure - systemic effects) | 85 mg/kg bw/day | | | | |
| Oral DNEL (acute/short-term exposure - systemic effects) | 89 mg/kg bw/day | | | | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
|---|------------------------|-------------------|-----------------|-----------------------|------|
| Oral DNEL (long-term exposure - systemic effects) | 0,04 mg/kg bw/day | | | | |
| Dermal DNEL (long-term exposure - systemic effects) | 0,04 mg/kg bw/day | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 0,14 mg/m ³ | | | | |

8.2. Exposure controls

Appropriate engineering controls:

Use the product under well-ventilated conditions. Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection:

Wear safety goggles. Eye protection must conform to EN 16321.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

Personal protective equipment, hand protection: In the event of direct skin contact, wear protective gloves: Type of material: Nitrile rubber. Breakthrough time has not been determined for the product. Change gloves often. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier. Gloves must conform to EN 374.

Personal protective equipment, respiratory protection: Light use (small volume, short term contact (below 10 min.)): Not required. Medium use (medium volume, medium contact (below 2 hours)): Wear respiratory protective equipment. Filter type: A P. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Parameter | Value/unit |
|------------|------------------------------------|
| State | Fat. |
| Colour | Brown |
| Odour | Characteristic |
| Solubility | Insoluble in the following: Water. |

| Parameter | Value/unit | Remarks |
|--|-----------------------|-----------------------|
| Odour threshold | No data | |
| Melting point | > 300 °C | (DIN ISO 3016) |
| Freezing point | No data | |
| Boiling point or initial boiling point and boiling range | No data | |
| Flammability | No data | |
| Flammability limits | No data | |
| Lower and upper explosion limit | No data | |
| Flash Point | No data | |
| Auto-ignition temperature | No data | |
| Decomposition temperature | > 300 °C | |
| pH (solution for use) | No data | |
| pH (concentrate) | No data | |
| Kinematic viscosity | No data | |
| Viscosity | No data | |
| Partition coefficient n-octanol/water (log value) | > 3.5 | |
| Vapour pressure | No data | |
| Density | 0.9 g/cm ³ | (20 °C) (ASTM D 4052) |
| relative density | 0.9 | (ASTM D 4052) |
| Relative vapour density | No data | |
| Relative density (sat. air) | No data | |
| Particle characteristics | No data | |

9.2. Other information

Other Information: None.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides/ Nitrous gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 5000 mg/kg bw | | OECD 401 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 5000 mg/kg bw | | OECD 401 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|------------------|------------|-------------|--------|
| Rat | LD50 | | > 16000 mg/kg bw | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|---------------|------------|-------------|--------|
| Rat | LD50 | | 4445 mg/kg bw | | | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 2500 mg/kg bw | | | |

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 2000 mg/kg bw | | | |

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

Acute toxicity - dermal

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rabbit | LD50 | | > 4000 mg/kg bw | | OECD 402 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rabbit | LD50 | | > 5000 mg/kg bw | | OECD 402 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rabbit | LD50 | | > 4000 mg/kg bw | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 2000 mg/kg bw | | OECD 402 | |

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 2000 mg/kg bw | | | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

LGWM 2

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|------------|------------|-------------|--------|
| | ATE (mix) | | 41.30 mg/l | | | |

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|------------|------------|--------------|--------|
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|------------|------------|--------------|--------|
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|------------|------------|--------------|--------|
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|--------------------|--------|
| Rabbit | | 4 h | 0.3 | | EPA OPPTS 870.2500 | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| Rabbit | | 4 h | 2.7 | | OECD 404 | |

May irritate the skin - may cause reddening. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| Rabbit | | | 0 | | EPA | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| Rabbit | | | 1 | | OECD 405 | |

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|--------------------|-------------|--------|
| Human | | | | Skin sensitisation | | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|--------------------|-------------|--------|
| Mouse | | | | Skin sensitisation | | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------|-----------|---------------|-------|--------------------|-------------|--------|
| Guinea pig | | | | Skin sensitisation | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------|-----------|---------------|-------|-----------------|-------------|--------|
| Guinea pig | | | | Non-sensitising | | |

According to tests, the product need not be classified. The product contains small amounts of Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product.

Germ cell mutagenicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------------|-----------|---------------|-------|--------------------------------|-------------|--------|
| Mammalian cells. | In vivo. | | | No mutagenic effects observed. | OECD 474 | |
| Bacteria | In vitro. | | | No mutagenic effects observed. | OECD 471 | |
| Mammalian cells. | In vitro. | | | No mutagenic effects observed. | OECD 476 | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|-----------------|-------------|--------|
| Rat | Oral. | | | No indications. | | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. The product contains at least one substance which is a suspected reproductive hazard.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

11.2. Information on other hazards

Endocrine disrupting properties: None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|---------------------------------|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchneriella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |
| Algae | Pseudokirchneriella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|---------------------------------|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchneriella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Algae | Pseudokirchneriella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|---------------------------------|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchneriella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Algae | Pseudokirchneriella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------------------------------|---------------|-----------|---------|------------|----------------------|--------|
| Algae | Pseudokirchneriella subcapitata | | 96hEC50 | 29 mg/l | | STDMETH, ASTM, USEPA | |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| | | | | | | | |
|-----------|---------------------------------|--|---------|------------|--|----------------------|--|
| Algae | Pseudokirchneriella subcapitata | | 96hNOEC | 0.5 mg/l | | STDMETH, ASTM, USEPA | |
| Crustacea | Daphnia magna | | 48hEC50 | 2.9 mg/l | | OECD 202 | |
| Fish | Lepomis macrochirus | | 96hLC50 | 1.67 mg/l | | STDMETH, ASTM, USEPA | |
| Crustacea | Daphnia magna | | 48hNOEC | 0.379 mg/l | | OECD 211 | |

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|---------------|---------------|-----------|------------|------------|-------------|--------|
| Crustacea | Daphnia magna | | 48hEC50 | > 100 mg/l | | OECD 202 | |

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|--------|------------------------|-------------|--------|
| | Activated sludge | 28 d | | > 90 % | Readily biodegradable. | OECD 301 B | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|----------------------------|-------------|--------|
| | | | | | Not readily biodegradable. | | |

The product contains at least one substance that is not biodegradable.
The product contains at least one biodegradable substance.

12.3. Bioaccumulative potential

LGWM 2

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Kow | > 3.5 | | | |

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Kow | 22 | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | | | | | |

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

| | | | | | | |
|--|--|--|---------|-----|--|--|
| | | | Log Kow | 2.9 | | |
|--|--|--|---------|-----|--|--|

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Kow | 5.1 | | | |
| | | | BCF | 1730 | | | |

The product contains at least one substance that is bioaccumulative in organisms.

12.4. Mobility in soil

Not expected to be mobile in soil. Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 12 01 12* spent waxes and fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.4. Packing group: Not applicable.

14.2. UN proper shipping name: Not applicable.

14.5. Environmental hazards: Not applicable.

14.3. Transport hazard class(es): Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

| UK-REACH Reg. No. | Substance name |
|-------------------|---|
| | Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts |
| | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts |
| | Sulfonic acids, petroleum, calcium salts |
| | Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts |
| | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |
| | C14-16-18 Alkyl Phenol |

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes |
|---------|---------------|-------------|---------|
| 2.8.0 | 05/08/2025 | SRU | 1,8,16 |

Abbreviations:
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: Very Persistent and Very Bioaccumulative
 STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components. Test data.

Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H361f Suspected of damaging fertility.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information

Safety Data Sheet

LGWM 2

Replaces date: 21/05/2025

Revision date: 05/08/2025

Version: 2.8.0

EUH208

Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. May produce an allergic reaction.

Country:

GB