

Eaton 125NHG00B

Catalog Number: 125NHG00B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 125A, 120 kAIC, Combination fuse status indicator, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Metal plated copper contact plate

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	125NHG00B
	Model Code
	NH FUSE 125A 500V GG/GL SIZE 00
UPC	EAN
051712625876	5027590429894
Product Length/Depth	Product Height
79 mm	58 mm
Product Width	Product Weight
30 mm	182 g
Compliances	Certifications
CE Marked	IEC 60269-1
RoHS Compliant	IEC 60269-2
	DIN 43620



Product specifications

Interrupt rating

120 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Suitable for

Microswitch BVL50

Amperage Rating

125 A

Frequency rating - max

62 Hz

Fuse type

Square body with knife blade contact

Fitted with:

Metal gripping lugs

Rated switching capacity

120 kA

Fuse size

NH02

Voltage rating

500 V

Fuse indicator

Combination fuse status indicator

Special features

Live gripping lug

Construction

NH00

Construction size

NH00

Rated voltage AC

500 V

Connection

Blade end

Resources

Catalogs

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA Size 00 NH 500V

125NHG00B-NH FUSE 125A 500V GG/GL SIZE 00

Presentations

NH Overview Video

Technical data sheets

10164 NH 500 Volts gG

Quantity

3

Material

Ceramic body

Metal gripping lugs

Utilization category

gL/gG (cable protection/equipment protection)

Contact material

Metal plated copper

Type

fuse

Fuse shape

Square body

Knife blade contacts

Breaking capacity

120 kA

Frequency rating - min

45 Hz

Class

Class gG/gL

Application

industrial

Utilities, Solar, Wind

Voltage type

AC