

No. 1907/2006 (REACH) Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Easy-Mix PE-PP 45 Hardener

Code-Nr. 106602

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

2-Component-Structural Adhesive Activator Component

1.3. Details of the supplier of the safety data sheet

Distributor WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

> Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Eye Dam. 1 H318 Resp. Sens. 1 H334 Skin Sens. 1 H317 Muta. 2 H341

Hazard Statements

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H341 Suspected of causing genetic defects.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS05

GHS08

! Signal word

Danger

P102

Hazard Statements

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

Keep out of reach of children.

Precautionary Statements

	The second of th
P201 P202 P264 P272 P280 P281 P285	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection.
P301 + P312 P301 + P330 + P331	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 P308 + P313 P312 P333 + P313 P342 + P311 P363	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
P501	Dispose of contents/container to hazardous or special waste collection point.

Hazardous ingredients for labeling

2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate), Hexaethyl-mu[kappa-N'-(1,6-hexandiamin)]dibor

2.3. Other hazards

Inhalation of dust may cause irritation of the respiratory system.

! Information pertaining to special dangers for human and environment

Risk of serious damage to eyes.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

! SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Preparation of different active substances

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
64265-57-2	264-763-3	2-ethyl-2-[[3-(2-methylaziridin-1-yl) propionyl]methyl]propane-1,3-diyl bis(2- methylaziridine-1-propionate)	20 - 40	Acute Tox. 2, H330 / Eye Dam. 1, H318 / Resp. Sens. 1, H334 / Skin Sens. 1, H317 / Muta. 2, H341
13463-67-7	236-675-5	titanium-dioxide	< 0,5	
223674-50-8	426-100-8	Hexaethyl-mu[kappa-N-kappa-N'-(1,6- Hexaethyl-mu[kappa-N-kappa-N'-(1,6- hexandiamin)]dibor	5 - 20	Acute Tox. 4, H302 / Eye Irrit. 2, H319 / Skin Sens. 1, H317

REACH

CAS No	Name	REACH registration number
64265-57-2	2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate)	not subjetc to registration
13463-67-7	titanium-dioxide	01-2119489379-17
223674-50-8	Hexaethyl-mu[kappa-N-kappa-N'-(1,6-	not subject to registration
	Hexaethyl-mu[kappa-N-kappa-N'-(1,6-hexandiamin)]dibor	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of allergic reactions, specially at respiratory tract, seek medical treatment immediately.

Adhere to personal protective measures when giving first aid.

In case of inhalation

Ensure of fresh air.

No mouth-to-mouth resuscitation by first aid.

Seek medical treatment immediately.

In the event of symptoms refer for medical treatment.

Artifical respiration with respiration bag or respirator.

In case of skin contact

In case of contact with skin wash off with soap and water.

Seek medical treatment immediately.

In case of eye contact

In case of contact with eyes rinse thoroughly with water.

Call for a doctor immediately.

In case of ingestion

Call for a doctor immediately.

Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed Physician's information / possible symptoms

vomiting

Respiratory complaints

Headache



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

Allergic symptoms Skin burns Nausea

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder).

After taking up the material dispose according to regulation.

Additional Information

Sort out leaky cans and dispose according to regulations.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust.

Avoid formation of aerosols.

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Open and handle container with care!

General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

Do not inhale dust.

It is essential for pregnant women to avoid inhaling the product and not to let it come in contact with the skin.

Hygiene measures

Cloths contaminated with product should not be kept in trouser pockets.

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

Work in rooms with good ventilation.

Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Take precautionary measures against static discharges.

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Do not store with acids or alkalies.

Do not store together with animal feedstuffs.

Do not store together with food.

Do not store together with oxidizing agents.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from direct solar radiation.

Protect from heat/overheating.

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No Name Code [mg/m3] [ppm] Remark



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

Ingredients with occupational exposure limits to be monitored (continued)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
13463-67-7	Titanium dioxide: total inhalable dust	8 hours	10		EH40/2005
13463-67-7	Titanium dioxide: respirable dust	8 hours	4		EH40/2005

DNEL-/PNEC-values

DNEL worker

CAS No	Substance name	Value	Code	Remark
13463-67-7	titanium-dioxide	10 mg/m3	DNEL long-term inhalative	
			(systemic)	

PNEC

11120				
CAS No	Substance name	Value	Code	Remark
13463-67-7	titanium-dioxide	100 mg/kg	PNEC sediment, freshwater	
		1000 mg/kg	PNEC sediment, marine water	
		100 mg/l	PNEC sewage treatment plant (ST	P)
		1 mg/l	PNEC aquatic, marine water	
		0.127 mg/l	PNEC aquatic, freshwater	

! Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

! Respiratory protection

Selection of the appropriate filter type depends on the quantity and chemicals handled at the workplace. Contact supplier of respiratory protective equipment or more information about filter properties.

Breathing apparatus in the event of aerosol or mist formation.

Full mask with combination filter A2/P3

Half mask

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

! SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdourpastywhitehardly noticeable



No. 1907/2006 (REACH) Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not applicable				
boiling point	> 82,2 °C				
melting point	not applicable				
Flash point	82,2 °C			closed cup	
Vapourisation rate	not applicable				
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	not determined				
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	< 13,3 Pa				
Relative density	ca. 1,1 g/ml	20 °C			
Vapour density	not determined				
Solubility in water	< 10 Gew-%	20 °C			low soluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	49 Pa*s	23 °C			

Oxidising properties

No information available.

Explosive properties

No information available.

9.2. Other information

No information available.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reactions with strong acids and alkalies. Reactions with strong oxidising agents. Reactions with amines.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials Substances to avoid

Alkali (lye), concentrated

Alkali (lye), concentrated Amines Acid, concentrated Oxidising agent, strong

10.6. Hazardous decomposition products

Gases/vapours, irritant Carbon monoxide Carbon dioxide Aldehydes

Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	2000 - 5000 mg/kg			ATE
LD50 acute dermal	> 3000 mg/kg	rabbit		CAS: 64265-57-2
LC50 acute inhalation	> 0,691 mg/l (4 h)		dust/mist	Dimethylsiloxan
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	risk of strong eye injuries			
Skin sensitization	sensitizing			
Sensitization respiratory system	sensitizing			



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Mutagenicity			CAS: 64265- 57-2	Information on genotoxicity in vivo available.
Reproduction- Toxicity	NOAEL (F1) 497 mg/kg	Rat	CAS: 67762- 90-7	No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity			Titandioxid	Indications of possible carcinogenic effects in animal studies are available.

! Experiences made from practice

Swallowing may cause vomiting and diarrhoea.

Sensitization through inhalation possible.

Sensitization through skin contact possible.

Risk of strong eye injuries.

Irritates mucous membranes.

Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

! SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species Metho	od Validation
Fish	LC50 > 240 mg/l (96 h)	Cyprinodon varicgatus	CAS: 13463-67-7
Daphnia	EC 50 > 100 mg/l (48 h)	Daphnia magna	CAS: 13463-67-7

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No. Name of waste

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous

substances

20 01 27* paint, inks, adhesives and resins containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Dispose of as hazardous waste.

Recommendations for packaging

Dispose of according to the local waste regulations.

General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	S -	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC value 65 g/L

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



No. 1907/2006 (REACH) Printed 05.08.2019

revision 29.03.2019 (GB) Version 9.0

Easy-Mix PE-PP 45 Hardener

! SECTION 16: Other information

! Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.8

	5	3	•				
H302	Harmful if swallowe	ed.					
H317	May cause an aller	gic skin reacti	on.				
H318	Causes serious eye	e damage.					
H319	Causes serious eye	e irritation.					
H330	Fatal if inhaled.						
H334	May cause allergy	or asthma syn	nptoms o	breathing difficul	Ities if inhaled.		
H341	Suspected of causi exposure cause the	0 0	fects (sta	te route of exposi	ure if it is conclusivel	ly proven that no othe	r routes of