

FEATURES

- Plan Shank
- Various lengths
- HSS for performance and safety
- Perfect for general workshop and maintenance use

RS PRO HSS Twist Drill Bit, 0.8mm x 30mm

RS Stock No.: 784-4837



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Brought to you by RS PRO, a range of jobber drill bits suitable for high-speed metal, wood and plastic drilling. Designed as a twisted drill bit, these attachments guarantee excellent performance and will be an asset to your application. All models are highly reliable and excellent quality.

General Specifications

Drill Bit Type	Twist Drill Bit
Type	Twist
Material	70% flute length is made of HSS
Surface	Black Finish
Shank Type	Reduced
Drilling Application	Construction, electrical or masonry applications

Mechanical Specifications

Overall Length	30mm
Point Angle	118°
Diameter	0.8mm
Flute Length	10mm

Approvals

Compliance/Certifications	DIN338
----------------------------------	--------

RS Art.No.	Dia.(mm)	Overall Length(mm)	Flute Length(mm)
7877315	0.25	19	3
7877327	0.30	19	3
7877324	0.35	19	4
7877330	0.40	20	5
7877321	0.45	20	5
7877337	0.50	22	6
7877333	0.55	24	7
7877349	0.60	24	7
7877346	0.65	26	8
7877352	0.70	28	9
7877343	0.75	28	9
7877359	0.80	30	10
7877355	0.85	30	10
7877361	0.90	32	11
7877368	0.95	32	11
7877365	1.05	34	12
7877374	1.10	36	14
7877377	1.25	38	16
7884984	1.65	43	20
7884987	1.75	46	22

