RS PRO

FEATURES

- **Self adhesive**

- **Adjustable to various wire and cable widths**

RS PRO Cable Clip White Self-Adhesive Aluminium Hook Clip

RS Stock No.: 475-142

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Cable Clips & Clamps

Product Description

RS PRO white plasticised aluminium cable hooks are a quick and easy to use solution to cable management and feature a large self-adhesive area for easy attachment. This cable hook can securely wrap around various wire diameters, bunch cables or single cables.

General Specifications

Material	Aluminium
Colour	White
Affixing Method	Self-Adhesive
Cable Clip/Clamp Style	Hook Clip
Adhesive base	acrylic
Packing	100pcs.
UV-Resistant	No
Applications	They are widely used in both home and workplace settings, and places where you are likely to find lengths of wire running between components outside of a cabinet or other housing.

Mechanical Specifications

Dimensions	69.8mm x25.4mm x 7.9mm
Length	69.8mm
Width	25.4mm
Depth	7.9mm
Holding power	80^0 /0.5kg/24hrs 25^0 /1kg X/24hrs
180^0 peel adhesion (kg/25 mm)	25kg

Cable Clips & Clamps

Operation Environment Specifications

Maximum Temperature	-10°C
Minimum Temperature	+90°C

Approvals

Compliance/Certifications	RoHS certificate of compliance

Cable Clips & Clamps

REV	DESCRIPTION		DATE
⚠	RDK-97186	張馨尹	2008/11/10
⚠	RDE-99018	陳文莘	2010/01/29
⚠	RDE-100006	張馨尹	2011/01/07

SELF-ADHESIVE LAYER

1.7
0.8

25.4 ±0.40

25.4 ±0.20

69.8±0.40

MAT

7.9

NOTE :
1. STOCK NO : 475142
2. CLIP MATL: ALUMLNLUM
3. BASE MATL : POLYETHYLENE
   PAD-SELF ADHESIVE.
⚠4. ADHESIVE BASE : ACRYLIC
⚠5. HOLDING POWER (hr/kg*25mm²) :
   80°/0.5kg/24h↑; 25°/1kg*24h↑
⚠6. TEMPERATURE RANGE : -10°C~90°C
⚠7. 180° PEEL ADHESION (kg/25mm) : 25kg↑

Tolerance Unless
Otherwise Specified

0 >6 mm ±0.20	ANGLE
6 >18 mm ±0.30	0°> ° REF ±
18 >30 mm ±0.40	°> ° ±
30 >75 mm ±0.50	°> ° ±

NAME	OPEN ARM CLIPS		UNIT	mm
PART NO.	ALACH-01	MATERIAL AL	APPROVE	
NUMBER	KA-961309-C-T06D	SCALE SHEET PAGE	CHECKED	
DATE	2008/08/07	1/1 1-3 1OF1	DRAWN 張 馨 尹	