



PRODUCT-DETAILS

LTGES01B-L

LFMC GP 3/8IN BLK 300M/1000FT



General Information

Extended Product Type	LTGES01B-L
Product ID	7TAA012LS0R0047
EAN	5415022392302
Catalog Description	LFMC GP 3/8IN BLK 300M/1000FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 3/8 Inch, Length 300 Meters/1,000 Feet, Working Temperature -20 to 80 Degrees C, Compliant to RoHS, Black

Ordering

EAN	5415022392302
Customs Tariff Number	8307106000

Dimensions

Product Net Weight	.26 lb 117.914 g
--------------------	---------------------

Container Information

Package Level 2 Units	1000 ft
Package Level 2 Width	30 in 762 mm

Package Level 2 Height	30 in 762 mm
Package Level 2 Depth / Length	20 in 508 mm

Additional Information

Application	General Purpose
Brand / Label	T&B Conduit
Color	Black
Inside Diameter	0.484 in
Material	Galvanised Steel
Nominal Size	3/8 in
Number of Batteries	0
Outside Diameter	0.710 in
Product Name	Flex conduit of steel w/o fittings
Product Type	Liquid Tight Flexible Metallic Conduit
Radius	38 mm
Special Functions	Designed to meet UL 360 ID/OD dimension requirements
Standards	RoHS
Surface Finishing	PVC Jacket
UPC	786210110387

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000002
Declaration of Conformity - CE	9AKK107492A9895
Instructions and Manuals	LTGES01B-L

Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5543 >> Liquid Tight Conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

