



## T 12/1 eco!efficiency

The new Kärcher T 12/1 EcolEfficiency is a highly efficient and quiet vacuum cleaner which is particularly interesting for contract cleaners, hotels and restaurants, offices, shops, hospitals as well as private households. The unit has a convenient step-on switch for ease of operation and features two back wheels and two front castors for maximum manoeuvrability. All together a powerful and robust middle class dry vacuum cleaner.



#### 1 Saving energy has never been so much fun!

Using only 750 W, the ecolefficiency dry vacuum cleaners clean almost as thoroughly as the basic version. This allows energy-efficient working with exceptional cleaning performance.

#### 3 Easy to service

The cable can be replaced quickly and easily by simply loosening 2 screws. This saves time and service costs.

#### 2 Low noise

Thanks to their low noise level, dry vacuum cleaners from the ecolefficiency range are ideal for noise-sensitive areas.

# **TECHNICAL DATA AND EQUIPMENT**





### T 12/1 eco!efficiency

- Reduced power consumption
- Plug-in power cableVery quiet

Technical data		
Order no.		1.355-135.0
EAN code		4039784831629
Air flow rate	I/s	46
Vacuum	mbar / kPa	185 / 18.5
Container capacity	1	12
Max. rated input power	W	500
Standard nominal width		35
Cable length	m	12
Sound pressure level	dB(A)	60
Sound power level	dB(A)	73
Weight	kg	6.6
Dimensions (L × W × H)	mm	410 × 315 × 340
Energy efficiency class (out of A+++ to D)		A+

Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		1
Filter bag		fleece
Switchable floor nozzle	mm	285
Container material		plastic
Clip system for hose extension		

■ Included in the scope of supply.

# **ACCESSORIES FOR T 12/1 ECO!EFFICIENCY** 1.355-135.0































									$\top$
					Lanath				
		Order no.	Quantity	ID.		Midth	Price	Parada tan	
		Order no.	Quantity	ID	Length	Width	Price	Description	L
Exhaust air filter		l	1=		1	1		lare to the second second	
Motor protection filter	1	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	
Filter foam	2	6.414-765.0	3 piece(s)					Standard exhaust filter.	
Main filter baskets				,					
Permanent main filter basket	3	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	•
Fleece filter bags (three-ply)			•	'					
Fleece filter bags	4	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of con-	
Floors filter have hully value pack		6.004.224.0	200 piece(s)					ventional paper filter bags. Standard for T 10/1 and T 12/1.	
Fleece filter bags, bulk value pack	5	6.904-321.0	200 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.	
Bend, plastic								Consumer office	
Bend Adv, antistatic, with second- ary air slider	6	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	•
Comfort bend, plastic, C 32 clip system	7	4.440-865.0	1 piece(s)	ID 32				Plastic bend (DN 32) with C-32 clip system with opening fo adjusting the floor tool for high-pile or extremely dense textile coverings.	r
Combi-nozzles, dry				,				J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Combi-nozzle	8	2.889-179.0		ID 35		295 mm		Plastic floor nozzle, ID 35 switchable	
Combination floor tool for parquet	9	6.906-107.0	1 piece(s)	ID 32		360 mm		Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeo- ver function. 360 mm	
Combi-nozzle for parquet	10	6.907-486.0	1 piece(s)	ID 32		300 mm		Plastic with DN ID connection.	
	11	2.889-196.0	1	ID 35		360 mm		Parquet nozzle with wide working width	
	12	2.889-197.0		ID 35		300 mm			П
Parquet nozzle packaged D360 DN32	13	6.905-078.0							
Parquet nozzle DN 32 (RAL 7012)	14	6.906-064.0						-	
Suction tubes, metal						1			Ť
Chrome-plated suction tube	15	6.902-074.0						Suction tube, metal, chrome-plated, ID 35, length 0.5 m	
Telescopic suction tube	16	6.903-524.0	1 piece(s)	ID 32				Chromium-plated metal telescopic tube (DN 32, length: 0.61-1 m), suitable as an extension, e.g. vacuuming ceilings.	
Suction tube	17	6.903-850.0	1 piece(s)	ID 32	0.5 m			Metal	
Complete suction hoses (clip system									
Suction hose	18	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	
Suction hose, complete	19	4.440-982.0	1 piece(s)	ID 32	2.5 m			With dry vacuum cleaner and clip connection, and bend, C DN 32, electrically conductive.	
HEPA, dust class H filter								5.1.52, electrically conductive.	
HEPA flat pleated filter	20	6.414-801.0	1 piece(s)					HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.	
Paper filter bags (two-ply)									
Paper filter bags	21	6.904-312.0	10 piece(s)					10 paper filter bags dust class M. Suitable for all T 12/1 models.	
Paper filter bags, bulk pack	22	6.904-318.0	200 piece(s)					Dust class M	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

# ACCESSORIES FOR T 12/1 ECO!EFFICIENCY 1.355-135.0























		Order no.	Quantity	ID	Length	Width	Price	Description	
Fabric filter bag									
Fabric filter bag	23	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to $40^{\circ}$ C, suitable for T7/1, T 10/1 and T 12/1 models.	
All-purpose brushes			,					,	
Multi-purpose brush	24	6.906-122.0	1 piece(s)	ID 32	120 mm			All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types.	
Electric brushes									
Brush head ESB 34	25	2.642-442.0	1 piece(s)	ID 32		340 mm		ESB 34 with suction hose with integrated electric cabel and telescopic suction tube.	Г
ESB 28 electric suction brush	26	2.641-815.0	1 piece(s)	ID 32		280 mm		Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles, Also suitable for flexible and hard surfaces. For T 201 and T 12/1.	
Crevice nozzles									
Crevice nozzle	27	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	
Upholstery nozzles			,						
Upholstery nozzle	28	6.903-402.0	1 piece(s)	ID 32		120 mm		Plastic upholstery tool (DN 32) with thread catcher, standard for T 201, T 201 + ESB 28. Optional for T 7/1, T 191, T 10/1.	
Turbo nozzles		1						10/1.	_
Turbo upholstery nozzle	29	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Turbo floor nozzle	30	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
Repair kits								,	
Repair kit, C 32	31	2.639-739.0	1 piece(s)	ID 32				Repair set (C32) includes threaded hose adapters for industrial T vacuum cleaners with clip system.	
Suction hoses (clip system)		1	_						
Suction hose	32	4.440-911.0	1 piece(s)	ID 32	2.5 m			2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).	
Expansion pieces (tube -> nozzle)	)							,	
Adapter	33	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	
Reducers (tube -> nozzle)		1							
Reducer from ID 35 to ID 32	34	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Floor nozzles			-					The state of the s	
Multi-purpose nozzle	35	6.906-089.0							[
■ Included in the scope of sur	nlv	□ Available ac	coccorios					•	

<sup>■</sup> Included in the scope of supply. 

Available accessories.