

FEATURES

- Through beam reflection working principle;
- Excellent antiinterference performance;
- <][\'XYhYW]cb'</p>
 UWW fUWn
- Emitter and receiver should be used in pair.

RS PRO Photoelectric Sensor

RS Stock No.: 2043994, 2043995, 2043996, 2043997, 2043998, 2043999



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Part Number Description

Part number	Sensing distance	Light source	Output	Connection
2043994 (Emitter)	10m (non adjustable)	Infrared LED (880nm)	NPN NO+NC	2m PVC cable
2043995 (Receiver)				
2043994 (Emitter)	10m (non adjustable)	Infrared LED (880nm)	PNP NO+NC	2m PVC cable
2043996 (Receiver)				
2043997(Emitter)	20m (non adjustable)	' Intraral Hill XXIIImi	NPN NO+NC	2m PVC cable
2043998 (Receiver)				
2043997(Emitter)	20m (non adjustable)	Infrared LED (880nm)	PNP	2m PVC cable
2043999 (Receiver)		ililialed LED (660ilili)	NO+NC	ZIII F VC Cable

General Specifications

Detection Type	Through beam reflection sensor	
Rated distance	10m/20m (non adjustable)	
Standard target	>φ15mm opaque object	
Repeat accuracy [R]	≤5%	
Response Time	≤8.2ms	
Output Indicator	Emitter: Green LED; Receiver: Yellow LED	
Ambient temperature	-15°C55 °C	
Ambient humidity	3585 %RH (non-condensing)	

Electrical Specifications

Operating Supply Voltage	1030 VDC
Current Consumption	≤25mA
Residual voltage	≤2.5V (receiver)
Load Current	≤200mA (receiver)
Hysteresis	
Reverse Polarity Protection	YES
Short Circuit Protection	YES
Voltage withstand	1000V/AC 50/60Hz 60s
Insulation resistance	≥50MΩ(500VDC)
Vibration resistance	1050Hz (0.5mm)



Mechanical Specifications

Body Style	Barrel
Mounting Type	Screw Nut
Housing Material	Nickel copper alloy
Dimensions	M18*53.5mm
Weight	190g

Protection Category

IP Rating	IP67	
IF Naully	11 07	


Additional Information

Custom Tariff Number/HS code	903180
------------------------------	--------


Approvals

Compliance/Certifications	CE
---------------------------	----


Dimension and Wiring




Emitter




Emitter



Receiver NPN NO+NC



Receiver



Receiver PNP NO+NC