

FEATURES

- Thermoplastic handles
- Zinc plated steel or stainless steel studs
- Matte black finish
- Can short term withstand +170°C
- Resistant to most chemicals, UV light and water absorption (1.5% max)
- Working temperature range of -30°C to +110°C

RS PRO Black Multiple Lobes Clamping Knob, M8

RS Stock No.: 702-7655



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Knobs are used in a wide variety of applications in our day-to-day lives and perform many functions, from being used as fixed handles to being used to tighten, loosen, adjust and push other components or pieces of equipment. They are used in various applications, from industrial and construction machinery to audio and visual equipment.

Female Knobs: Zinc-plated steel: M6 x 9 (RS [7027594](#)), M8 x 12 (RS [7027598](#)), M10 x 15 (RS [7027601](#)), M10 x 15 (RS [7027605](#)), M8 x 12 (RS [7027608](#)), M12 x 8 (RS [7027614](#)). Stainless steel: M6 x 9 (RS [7027651](#)), M8 x 12 (RS [7027655](#)), M10 x 15 (RS [7027661](#)), M10 x 15 (RS [7027667](#)), M12 x 18 (RS [7027670](#)).

Male Knobs: Zinc-plated steel: M6 x 20mm (RS [7027579](#)), M6 x 25mm (RS [7027572](#)), M8 x 20mm (RS [7027576](#)), M8 x 30mm (RS [7027585](#)), M8 x 25mm (RS [7027588](#)), M10 x 25mm (RS [7027582](#)), M12 x 30mm (RS [7027591](#)). Stainless steel: M6 x 15mm (RS [7027627](#)), M6 x 20mm (RS [7027636](#)), M6 x 25mm (RS [7027639](#)), M8 x 20mm (RS [7027633](#)), M8 x 30mm (RS [7027642](#)), M8 x 25mm (RS [7027645](#)), M10 x 25mm (RS [7027649](#)), M12 x 30mm (RS [7027658](#)).

Through-Thread Knobs: Zinc-plated steel: M8 x 12 (RS [7027611](#)), M6 x 9 (RS [7027617](#)), M10 x 15 (RS [7027620](#)), M12 x 18 (RS [7027623](#)). Stainless steel: M8 x 12 (RS [7027664](#)), M6 x 9 (RS [7027673](#)), M8 x 15 (RS [7027677](#)), M12 x 18 (RS [7027683](#)), M8 x 12 (RS [7027686](#)), M10 x 15 (RS [7027689](#)).

General Specifications

Thread	M8
Knob Shape	Multiple Lobes
Mounting Type	Threaded Hole
Body Material	PP
Insert Material	Stainless Steel
Colour	Black
Application	Access doors, Drawers & panels (domestic and industrial), Clamps and fixtures, Industrial machinery, Food preparation machinery, Medical furniture

Mechanical Specifications

Thread Diameter	8mm
Thread Length	12mm
Knob Diameter	40mm
Hole Diameter	18mm
Hole Length	29mm

Approvals

Compliance/Certifications

EN 61340

